ePublishing

ΕΘΝΙΚΟ ΚΕΝΤΡΟ ΤΕΚΜΗΡΙΩΣΗΣ
EKT NATIONAL DOCUMENTATION CENTRE

Mediterranean Marine Science

Vol 15, No 3 (2014)

Vol 15, No 3 (2014)



Spatial distribution modelling of the endangered bivalve Pinna nobilis in a Marine Protected Area

M. VÁZQUEZ-LUIS, D. MARCH, E. ALVAREZ, D. ALVAREZ-BERASTEGUI, S. DEUDERO

doi: 10.12681/mms.796

To cite this article:

VÁZQUEZ-LUIS, M., MARCH, D., ALVAREZ, E., ALVAREZ-BERASTEGUI, D., & DEUDERO, S. (2014). Spatial distribution modelling of the endangered bivalve Pinna nobilis in a Marine Protected Area. *Mediterranean Marine Science*, *15*(3), 626-634. https://doi.org/10.12681/mms.796


https://epublishing.ekt.gr | **e-Publisher:** EKT | **Downloaded at:** 29/03/2024 17:51:37

Supplementary Data

Spatial distribution modelling of the endangered bivalve *Pinna nobilis* in a Marine Protected Area

M. VÁZQUEZ-LUIS[1], D. MARCH[2], E. ALVAREZ[3], D. ALVAREZ-BERASTEGUI[4] and S. DEUDERO[1]


Mediterranean Marine Science, 2014, 15 (3), 626-634.



Suppl. Figure A1. Hierarchical cluster on exploratory variables using squared Spearman correlation (ρ2).

Suppl. Table A1. Generalised variance inflation factor (GVIF) values for the variables of the optimal model.

Parameters	GVIF
depth	2.132
I(depth^2)	2.463
wave	1.688
habitat	1.979
zonation	1.725
shannon	1.324
I(wave*depth)	1.985



Suppl. Figure A2. Empirical semivariogram computed for the residuals from the GLM. Distance in metres.