

Mediterranean Marine Science

Vol 19, No 1 (2018)

Vol 19, No 1 (2018)



Fish assemblages along the coasts of Tunisia: a baseline study to assess the effectiveness of future Marine Protected Areas

EMNA BEN LAMINE, PAOLO GUIDETTI, MOHAMED SALAH ROMDHANE, PATRICE FRANCOUR

doi: [10.12681/mms.14206](https://doi.org/10.12681/mms.14206)

To cite this article:

BEN LAMINE, E., GUIDETTI, P., ROMDHANE, M. S., & FRANCOUR, P. (2018). Fish assemblages along the coasts of Tunisia: a baseline study to assess the effectiveness of future Marine Protected Areas. *Mediterranean Marine Science*, 19(1), 11–20. <https://doi.org/10.12681/mms.14206>

Supplementary Material 1

Fish assemblages along the coasts of Tunisia: a baseline study to assess the effectiveness of future Marine Protected Areas

EMNA BEN LAMINE, PAOLO GUIDETTI, MOHAMED SALAH ROMDHANE
and PATRICE FRANCOUR

Mediterranean Marine Science, 2018, 19 (1)

Mean densities (individual/m²), per location with trophic category (Troph), (se: standard error) and Tunisian commercial interest description for each species (PLA: Planktivore, SCCB: Small Carnivore Cryptobenthic, LP: Large Predator, INV1: invertivore 1, INV2: Invertivore 2, SP: Small Predator, HERB: Herbivore, Nc: No commercial interest, Lc: Low commercial interest, Hc: High commercial interest, T: transect type (A: 25x5m, B:35x10m; C: 10x1m))

Family	Species	Kuriat	se	Cap Negro-Cap Serrat	se	Tabarka	se	Troph	Commercial interest	T	
Apogonidae	<i>Apogon imberbis</i>	0.0106	0.0111	0.0028	0.0003	0.0078	0.0028	PLA	Nc	A	
Atherinidae	<i>Atherina boyeri</i>	0.0244	0.0423	1.5277	0.1964	0.2860	0.4954	PLA	Lc	A	
Blennidae	<i>Parablennius rouxi</i>	0.0037	0.0064	0	0	0.0240	0.0416	SCCB	Nc	C	
	<i>Parablennius pilicornis</i>	0.1129	0.1956	0.0055	0.0078	0.0962	0.1667	SCCB	Nc	C	
Carangidae	<i>Lichia amia</i>	0	0	0	0	0.0010	0.0017	LP	Hc	B	
	<i>Seriola dumerili</i>	0	0	0	0	0.0002	0.0005	LP	Hc	B	
Dasyatidae	<i>Dasyatis pastinaca</i>	0.0045	0.0079	0	0	0.0007	0.0012	LP	Hc	B	
Gobiidae	<i>Gobius spp.</i>	0.0055	0.0096	0.0194	0.0274	0.0092	0.0160	SCCB	Nc	C	
	<i>Gobius niger</i>	0.0001	0.0002	0	0	0	0	SCCB	Nc	C	
Labridae	<i>Coris julis</i>	0.4082	0.3601	0.3401	0.4483	0.6240	0.5948	INV1	Lc	A	
	<i>Labrus merula</i>	0.0017	0.0019	0.0055	0.0003	0.0031	0.0023	INV2	Lc	A	
	<i>Labrus viridis</i>	0.0302	0.0494	0.0008	0.0006	0.006	0.0064	INV2	Lc	A	
	<i>Symphodus cinereus</i>	0	0	0	0	0.0075	0.0127	INV2	Lc	A	
	<i>Symphodus doderleini</i>	0.0202	0.0256	0	0	0.0074	0.0128	INV2	Lc	A	
	<i>Symphodus mediterraneus</i>	0.0379	0.0543	0.0017	0.0018	0.0143	0.0095	INV2	Lc	A	
	<i>Symphodus melops</i>	0	0	0	0	0.0007	0.0009	INV2	Lc	A	
	<i>Symphodus ocellatus</i>	0.0137	0.0093	0.0015	0.0003	0.0231	0.0160	INV2	Lc	A	
	<i>Symphodus roissali</i>	0.0097	0.0099	0.0196	0.0183	0.0202	0.0156	INV2	Lc	A	
	<i>Symphodus rostratus</i>	0.0008	0.0008	0.0057	0.0006	0.0034	0.0029	INV2	Lc	A	
Labridae	<i>Symphodus tinca</i>	0.0302	0.0193	0.0233	0.0009	0.0368	0.0248	INV2	Lc	A	
	<i>Thalassoma pavo</i>	0.0863	0.0999	0.0806	0.0901	0.1296	0.1073	INV2	Lc	A	
	Mullidae	<i>Mullus surmuletus</i>	0.0080	0.0043	0.0020	0.0015	0.0032	0.0013	INV2	Hc	A
	Muraenidae	<i>Muraena helena</i>	0.0005	0.0010	0	0	0.0005	0.0005	LP	Lc	B
	Pomacentridae	<i>Chromis chromis</i>	1.6448	1.2539	2.2295	2.5037	1.6164	1.1357	PLA	Nc	A
	Rhinobatidae	<i>Rhinobatos rhinobatos</i>	0.0069	0.0120	0	0	0	0	LP	Hc	B
	Serranidae	<i>Epinephelus costae</i>	0.0023	0.0027	0.0011	0.0015	0.0045	0.0016	LP	Hc	B
		<i>Epinephelus marginatus</i>	0.0032	0.0014	0.0011	0.0015	0.0004	0.0004	LP	Hc	B
		<i>Mycteroperca rubra</i>	0.0228	0.0387	0	0	0.0419	0.0726	LP	Hc	B
		<i>Serranus cabrilla</i>	0.0149	0.0137	0.0013	0.0006	0.0096	0.0090	SP	Lc	A
<i>Serranus scriba</i>		0.0100	0.0099	0.0120	0.0018	0.0192	0.0015	SP	Lc	A	
Sciaenidae	<i>Sciaena umbra</i>	0.0088	0.0135	0.0011	0.0009	0.0077	0.0125	LP	Hc	B	
Scorpenidae	<i>Scorpaena scrofa</i>	0.0074	0.0064	0.0027	0.0039	0.0018	0.0032	SP	Hc	C	
	<i>Scorpaena notata</i>	0.0005	0.0010	0	0	0.0037	0.0032	SP	Lc	C	

	<i>Dentex dentex</i>	0.0025	0.0030	0.0052	0.0067	0.0001	0.0002	LP	Hc	B
	<i>Diplodus annularis</i>	0.1294	0.0336	0.1158	0.0300	0.0704	0.0662	INV2	Lc	A
	<i>Diplodus cervinus</i>	0.0016	0.0028	0	0	0.0020	0.0028	INV2	Hc	A
	<i>Diplodus puntazzo</i>	0.0053	0.0040	0.0142	0.0175	0.0096	0.0113	INV2	Hc	A
	<i>Diplodus sargus</i>	0.0225	0.0179	0.0515	0.0018	0.0257	0.0117	INV1	Hc	A
	<i>Diplodus vulgaris</i>	0.0829	0.0295	0.1387	0.1227	0.1023	0.0353	INV1	Hc	A
Sparidae	<i>Boops boops</i>	0.1058	0.1230	1.5277	0.1964	0.0342	0.0550	PLA	Lc	A
	<i>Oblada melanura</i>	0.1131	0.0997	0.1004	0.0062	0.0768	0.0500	PLA	Lc	A
	<i>Sarpa salpa</i>	0.1362	0.0534	0.0973	0.0125	0.1102	0.0610	HERB	Lc	A
	<i>Sparus aurata</i>	0.0048	0.0031	0	0	0.0008	0.0011	INV1	Hc	A
	<i>Spicara maena</i>	0.1152	0.1064	0.1857	0.0207	0.0029	0.0051	PLA	Lc	A
	<i>Spicara smaris</i>	0.1277	0.1723	0.0071	0.0100	0.0035	0.0047	PLA	Lc	A
	<i>Spondylisoma cantharus</i>	0.0600	0.0440	0.1047	0.1431	0.0035	0.0061	INV2	Lc	A
Sphyraenidae	<i>Sphyraena spp.</i>	0.0262	0.0454	0	0	0.0069	0.0112	LP	Hc	B
Tripterigidae	<i>Tripterigion delaisi</i>	0.0018	0.0032	0.0027	0.0039	0.0425	0.0325	SCCB	Ne	C
	<i>Tripterigion tripteronotus</i>	0.0037	0.0064	0.0027	0.0039	0.0406	0.0705	SCCB	Ne	C

Supplementary Material 2

Number of individuals for commercially relevant species as the total number in the three years per location in un-protected and future protected areas.

Zone	Un-protected			Future protected			
	Location	Kuriat	Cap Negro-Cap Serrat	Tabarka	Kuriat	Cap Negro-Cap Serrat	Tabarka
	<i>Coris julis</i>	119	98	316	286	110	320
	<i>Dentex dentex</i>	1	11	1	5	1	0
	<i>Diplodus annularis</i>	57	46	104	184	73	130
	<i>Diplodus puntazzo</i>	3	4	26	33	60	39
	<i>Diplodus sargus</i>	9	66	53	109	168	121
	<i>Diplodus vulgaris</i>	60	154	185	155	102	506
	<i>Epinephelus costae</i>	1	4	0	15	1	19
	<i>Epinephelus marginatus</i>	0	5	1	22	0	2
	<i>Mullus surmuletus</i>	18	0	13	36	9	9
	<i>Sciaena umbra</i>	0	3	2	14	2	4
	<i>Serranus cabrilla</i>	9	3	23	46	3	42
	<i>Sparus aurata</i>	1	0	6	20	0	0