

Mediterranean Marine Science

Vol 19, No 2 (2018)



Ecological Quality Status of the Algiers coastal waters by using macroalgae assemblages as bioindicators (Algeria, Mediterranean Sea)

KHADIDJA CHABANE, LAMIA BAHBAH, HALIMA SERIDI

doi: [10.12681/mms.15951](https://doi.org/10.12681/mms.15951)

To cite this article:

CHABANE, K., BAHBAH, L., & SERIDI, H. (2018). Ecological Quality Status of the Algiers coastal waters by using macroalgae assemblages as bioindicators (Algeria, Mediterranean Sea). *Mediterranean Marine Science*, 19(2), 305–315. <https://doi.org/10.12681/mms.15951>

Supplementary Material

Ecological Quality Status of the Algiers coastal waters by using macroalgae assemblages as bioindicators (Algeria, Mediterranean Sea)

KHADIDJA CHABANE, LAMIA BAHBAH and HALIMA SERIDI

Mediterranean Marine Science 19 (2), 2018

Table S1. List of species in the study area. The coverage of each species (mean from seven samplings) is expressed as % sampling surface. The species are grouped in two Ecological Status Groups (ESG).

TAXA	ID	ESG	CEA	COF	CEK	CES	CCL	COT	COO
<i>Ahnfeltiopsis devoniensis</i> (Greville) P.C.Silva & De-Cew 1992	Ahd	IA	9.88	4.89	0.00	0.05	0.00	13.45	0.00
<i>Ahnfeltiopsis pusilla</i> (Montagne) P.C.Silva & DeCew 1992	Ahp	IA	12.53	0.00	0.00	1.10	0.25	16.95	0.10
<i>Cystoseira amentacea</i> var. <i>stricta</i> Montagne 1846	Cys	IA	97.61	0.00	0.00	21.00	0.00	98.80	0.00
<i>Cystoseira crinita</i> Duby 1830	Cyr	IA	0.80	0.00	0.00	0.45	0.00	38.25	0.00
<i>Gymnogongrus crenulatus</i> (Turner) J.Agardh 1851	Pal	IA	16.45	0.00	0.00	4.00	0.00	77.95	1.15
<i>Cystoseira compressa</i> (Esper) Gerloff & Nizamuddin 1975	Cyc	IB	0.00	5.95	0.00	0.75	46.85	88.70	48.15
<i>Padina pavonica</i> (Linnaeus) Thivy in W.R.Taylor 1960	Pap	IB	0.00	1.40	0.00	0.00	0.00	60.15	0.00
<i>Plocamium cartilagineum</i> (Linnaeus) P.S.Dixon 1967	Plo	IB	1.00	3.83	0.00	1.80	0.00	10.80	0.00
<i>Rhodophyllis divaricata</i> (Stackhouse) Papenfuss 1950	Rhd	IB	0.00	0.00	0.00	2.35	0.00	11.55	0.00
<i>Sargassum vulgare</i> C.Agardh 1820	Sar	IB	0.00	44.87	0.00	17.15	0.00	93.00	0.00
<i>Ellisolandia elongata</i> (J.Ellis & Solander) K.R.Hind & G.W.Saunders 2013	Ele	IC	56.53	61.79	40.49	12.05	63.75	89.75	72.00
<i>Jania adhaerens</i> J.V.Lamouroux 1816	Jaa	IC	27.30	6.24	0.10	5.85	11.80	40.00	21.25
<i>Jania longifurca</i> Zanardini 1844	Jal	IC	2.76	0.00	0.00	1.80	0.75	33.35	4.80
<i>Jania rubens</i> (Linnaeus) J.V.Lamouroux 1816	Jar	IC	58.90	16.80	11.70	11.65	16.25	80.05	20.75
<i>Lithophyllum incrustans</i> Philippi 1837	Lit	IC	72.80	0.95	0.00	4.80	1.15	65.30	0.05
<i>Peyssonnelia squamaria</i> (S.G.Gmelin) Decaisne ex J.Agardh 1842	Pys	IC	19.70	0.05	0.00	0.45	0.00	60.45	0.20
<i>Asparagopsis armata</i> Harvey 1855	Asa	IIA	45.50	84.60	0.00	18.00	31.95	46.00	5.65
<i>Asparagopsis taxiformis</i> (Delile) Trevisan 1845	Ast	IIA	17.50	49.80	0.00	9.75	79.80	17.00	6.50
<i>Caulerpa cylindracea</i> Sonder 1845	Cac	IIA	0.00	94.30	0.00	0.15	69.25	9.90	16.25
<i>Champia parvula</i> (C.Agardh) Harvey 1853	Chp	IIA	1.93	0.00	0.00	0.15	0.00	1.05	0.00
<i>Chondria capillaris</i> (Hudson) M.J.Wynne 1991	Chc	IIA	1.41	0.00	0.00	0.30	0.00	0.35	0.00
<i>Chylocladia verticillata</i> (Lightfoot) Bliding 1928	Chv	IIA	0.00	0.00	0.00	1.70	0.00	10.40	0.00
<i>Colpomenia sinuosa</i> (Mertens ex Roth) Derbès & Solier in Castagne 1851	Coi	IIA	7.70	6.70	0.00	10.65	0.80	12.80	0.00
<i>Cryptopleura ramosa</i> (Hudson) L.Newton 1931	Crr	IIA	0.00	0.00	0.00	0.00	0.00	0.75	0.00
<i>Cutleria adspersa</i> (Mertens ex Roth) De Notaris 1842	Cut	IIA	0.00	0.00	0.00	0.10	5.60	1.25	0.15
<i>Dictyota dichotoma</i> (Hudson) J.V.Lamouroux 1809	Dic	IIA	0.00	0.00	0.00	5.75	52.30	5.40	40.95
<i>Dictyota fasciola</i> (Roth) J.V.Lamouroux 1809	Dif	IIA	0.00	65.10	0.00	11.75	0.00	10.75	0.00
<i>Dictyota</i> sp.	Dis	IIA	0.00	0.00	0.00	0.00	0.00	0.80	0.00

(continued)

Table S1 Continued

TAXA	ID	ESG	CEA	COF	CEK	CES	CCL	COT	COO
<i>Gastroclarium</i> sp.	Gas	IIA	0.00	0.00	0.00	0.00	0.00	1.15	0.00
<i>Gastroclonium clavatum</i> (Roth) Ardissonne 1883	Gas	IIA	5.05	0.00	0.00	0.70	0.00	0.00	0.00
<i>Gelidium crinale</i> (Hare ex Turner) Gaillon 1828	Gec	IIA	3.20	48.95	0.00	1.70	59.85	4.90	0.00
<i>Gelidium pusillum</i> (Stackhouse) Le Jolis 1863	Gep	IIA	8.63	25.25	0.00	3.60	0.30	7.75	0.00
<i>Gracilaria dura</i> (C.Agardh) J.Agardh 1842	Grd	IIA	12.59	0.00	0.00	0.65	0.00	9.75	0.00
<i>Grateloupia doryphora</i> (Montagne) M.Howe 1914	Gro	IIA	0.00	80.60	0.00	8.45	15.30	0.00	56.80
<i>Grateloupia lanceola</i> (J.Agardh) J.Agardh 1851	Grl	IIA	2.45	90.65	0.00	0.00	76.90	0.00	0.00
<i>Hypnea musciformis</i> (Wulfen) J.V.Lamouroux 1813	Hym	IIA	3.98	0.00	0.00	2.10	0.25	2.95	0.00
<i>Lomentaria compressa</i> (Kützing) Kylin 1931	Lam	IIA	1.47	0.05	0.00	5.35	0.00	4.85	0.00
<i>Millerella pannosa</i> (Feldmann) G.H.Boo & L.Le Gall in G.H.Boo <i>et al.</i> 2016	Mip	IIA	12.59	0.00	0.00	1.00	0.30	2.10	0.00
<i>Palisada thuyoides</i> (Kützing) Cassano, Senties, Gil-Rodríguez & M.T.Fujii in Cassano <i>et al.</i> 2009	Pat	IIA	1.60	0.00	0.00	1.00	0.00	2.35	0.00
<i>Pterocladia capillacea</i> (S.G.Gmelin) Santelices & Hommersand 1997	Pte	IIA	14.94	63.10	0.00	1.05	79.40	11.40	75.20
<i>Rissoella verruculosa</i> (Bertoloni) J.Agardh 1851	Ris	IIA	0.05	0.00	0.00	0.00	0.00	0.00	0.00
<i>Sphacelaria cirrosa</i> (Roth) C.Agardh 1824	Sph	IIA	1.15	0.00	0.00	0.25	0.00	0.00	0.00
<i>Sphacelaria</i> sp.	Sps	IIA	1.90	0.50	0.00	0.00	0.00	0.00	0.00
<i>Sphaerococcus coronopifolius</i> Stackhouse 1797	Spc	IIA	0.00	0.00	0.00	1.05	0.00	1.95	0.00
<i>Antithamnion cruciatum</i> (C.Agardh) Nägeli 1847	Anc	IIB	0.29	0.25	0.00	0.85	0.10	0.96	0.00
<i>Bornetia secundiflora</i> (J.Agardh) Thuret 1855	Bos	IIB	0.44	0.00	0.00	1.75	0.25	0.00	0.60
<i>Bryopsis muscosa</i> J.V.Lamouroux 1809	Brm	IIB	0.24	0.00	0.00	1.15	0.00	0.70	0.00
<i>Callithamnion corymbosum</i> (Smith) Lyngbye 1819	Cag	IIB	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Callithamnion granulatum</i> (Ducluzeau) C.Agardh 1828	Cag	IIB	0.02	0.00	0.00	0.50	0.20	0.65	0.00
<i>Centroceras clavulatum</i> (C.Agardh) Montagne 1846	Cec	IIB	0.75	0.05	0.00	0.75	0.00	1.50	0.00
<i>Ceramium codii</i> (H.Richards) Mazoyer 1938	Ceo	IIB	1.30	10.95	0.00	0.75	0.05	3.05	0.20
<i>Ceramium diaphanum</i> (Lightfoot) Roth 1806	Ced	IIB	1.23	3.32	0.00	0.60	0.10	0.65	0.00
<i>Ceramium echionotum</i> J.Agardh 1844	Cee	IIB	0.15	0.00	0.00	0.20	0.00	0.60	0.00
<i>Ceramium gracillimum</i> (Kützing) Zanardini 1847	Ceg	IIB	0.00	0.27	0.00	0.00	0.00	0.00	0.00
<i>Ceramium siliquosum</i> (Kützing) Maggs & Hommersand 1993	Ces	IIB	0.05	0.00	0.00	0.50	0.00	0.30	27.30
<i>Ceramium tenerrimum</i> (G.Martens) Okamura 1921	Cei	IIB	0.42	0.60	0.00	0.06	0.00	0.35	0.05
<i>Ceramium virgatum</i> Roth 1797	Cev	IIB	5.39	14.04	18.05	0.40	24.55	1.85	32.45
<i>Chaetomorpha aerea</i> (Dillwyn) Kützing 1849	Cha	IIB	9.00	0.00	94.00	0.05	91.10	0.45	94.30
<i>Chaetomorpha ligustica</i> (Kützing) Kützing 1849	Chl	IIB	0.00	0.00	0.00	0.00	0.00	0.25	0.05
<i>Chondracanthus acicularis</i> (Roth) Fredericq & Leister 1993	Chr	IIB	7.58	15.73	0.00	5.05	1.75	10.75	0.00
<i>Cladophora albida</i> (Nees) Kützing 1843	Cla	IIB	4.94	4.85	0.00	0.75	0.10	5.30	0.05
<i>Cladophora hutchinsiae</i> (Dillwyn) Kützing 1845	Clh	IIB	0.10	0.00	0.00	0.20	0.00	1.50	0.00
<i>Cladophora laetevirens</i> (Dillwyn) Kützing 1843	Cil	IIB	0.35	0.05	0.00	0.20	0.00	1.90	0.00
<i>Cladophora lehmanniana</i> (Lindenberg) Kützing 1843	Cle	IIB	0.05	0.00	0.00	0.60	0.00	1.55	0.00
<i>Cladophora oligoclona</i> (Kützing) Kützing 1843	Clo	IIB	0.05	0.00	0.00	0.05	0.00	1.25	0.05
<i>Cladophora rupestris</i> (Linnaeus) Kützing 1843	Clr	IIB	0.00	0.00	0.00	0.20	0.82	1.10	0.00
<i>Cladophora</i> sp.	Cls	IIB	0.00	0.00	0.00	0.05	0.00	0.15	0.00
<i>Codium fragile</i> (Suringar) Hariot 1889	Cof	IIB	0.00	40.60	0.00	5.70	21.80	14.50	18.30
<i>Gayliella flaccida</i> (Harvey ex Kützing) T.O.Cho & L.J.McIvor in Cho <i>et al.</i> 2008	Gaf	IIB	0.05	0.00	0.00	0.00	0.00	0.20	0.00

(continued)

Table S1 Continued

TAXA	ID	ESG	CEA	COF	CEK	CES	CCL	COT	COO
<i>Halopteris scoparia</i> (Linnaeus) Sauvageau 1904	Hac	IIB	0.00	0.00	0.00	0.00	0.00	1.05	0.00
<i>Herposiphonia secunda</i> f. <i>tenella</i> (C.Agardh) M.J.Wynne 1985	Hes	IIB	1.91	0.25	0.00	0.75	0.10	2.85	0.00
<i>Herposiphonia tenella</i> (C.Agardh) Ambrohn 1880	Het	IIB	1.00	0.25	0.00	0.15	0.00	2.10	0.00
<i>Heterosiphonia crispella</i> (C.Agardh) M.J.Wynne 1985	Hec	IIB	0.81	0.00	0.00	1.15	0.00	2.20	0.00
<i>Polysiphonia denudata</i> (Dillwyn) Greville ex Harvey in Hooker 1833	Pod	IIB	0.00	0.00	0.00	0.75	0.00	2.10	0.00
<i>Polysiphonia mottei</i> Lauret 1967	Pom	IIB	0.00	0.00	0.00	0.15	0.00	1.05	0.00
<i>Polysiphonia opaca</i> (C.Agardh) Moris & De Notaris 1839	Poo	IIB	0.00	0.00	0.00	0.00	0.00	0.60	0.00
<i>Polysiphonia sertularioides</i> (Grateloup) J.Agardh 1863	Pos	IIB	1.63	8.45	0.00	1.85	14.55	2.40	0.10
<i>Spyridia filamentosa</i> (Wulfen) Harvey in Hooker 1833	Spy	IIB	6.30	0.00	0.00	0.00	0.10	2.95	0.00
<i>Symphocladia parasitica</i> (Hudson) Savoie & G.W. Saunders 2016	Syp	IIB	0.00	0.00	0.00	0.30	0.00	2.25	0.00
<i>Ulva compressa</i> Linnaeus 1753	Ulc	IIB	4.11	76.90	80.25	10.50	84.50	5.90	90.90
<i>Ulva intestinalis</i> Linnaeus 1753	Uli	IIB	3.67	57.30	0.00	9.50	89.10	9.75	77.50
<i>Ulva lactuca</i> Linnaeus 1753	Ull	IIB	17.53	30.05	37.05	1.40	79.90	0.95	88.75
<i>Ulva rigida</i> C.Agardh 1823	Ulr	IIB	49.88	88.40	92.55	16.25	94.75	38.75	91.75
<i>Valonia macrophysa</i> Kützinger 1843	Val	IIB	3.32	26.05	0.00	1.05	0.00	0.30	26.75
<i>Vertebrata fruticulosa</i> (Wulfen) Kuntze 1891	Vef	IIB	1.25	0.00	0.00	0.60	0.00	1.10	0.00
<i>Xiphosiphonia pennata</i> (C.Agardh) Savoie & G.W. Saunders 2016	Xip	IIB	0.10	0.00	0.00	0.65	0.00	0.65	0.00

Table S2. The calculation of the MALUSI index of an Algiers coastal site.

	Indirect pressures			Direct Pressures category A				Direct Pressures category B				Stability of water column	Confinement	MALUSI	EEI-c	EEI-c EQR
	Urban (codes 11)	Commercial & Industrial (codes 12, 13)	Agri-culture (codes 21-24)	Mariculture	Sediment nutrient release	Sewageout-fall	Irregular Fresh Water inputs	Harbour	SUM	Back-ground trophic status						
CEA	1	1	0	0	0	0	0	0	2	1	1	1	2.00	6.10	0.52	
CEK	2	2	1	0	2	1	0	0	8	1	1.5	1	12.00	3.72	0.22	
CES	2	1	1	2	0	0	0	1	7	1	1	0.75	5.25	5.24	0.41	
CCL	2	2	0	0	2	1	3	0	10	1	1	0.75	7.50	1.82	0.00	
COO	2	1	0	0	1	1	1	3	9	1	1	1.25	11.25	2.56	0.07	
COF	2	2	0	0	2	1	1	2	10	1	1.25	0.75	9.38	1.96	0.00	
COT	1	0	1	0	0	0	0	1	3	1	1	0.75	2.25	8.31	0.796	