Mediterranean Marine Science
Indexed in WoS (Web of Science, ISI Thomson) and SCOPUS
The journal is available on line at http://www.medit-mar-sc.net
www.hcmr.gr
DOI: http://doi.org/10.12681/mms.29935

A molecular framework for the systematics of the Mediterranean spindle-shells (Gastropoda, Neogastropoda, Fasciolariidae, Fusininae)

Giulia FASSIO, Paolo RUSSO, Giuseppe BONOMOLO, Alexander E. FEDOSOV, Maria Vittoria MODICA, Elisa NOCELLA and Marco OLIVERIO

Mediterranean Marine Science, 23 (3) 2022




Fig. S1: Phylogenetic relationships among fasciolariids as illustrated by the **Bayesian** majority consensus tree of the **16S** alignment. The tree is rooted on two buccinoideans (the Eosiphonidae *Manaria* sp., voucher MNHN-IM-013-19891, and an undetermined Buccinidae, voucher MNHN-IM-013-60365). Support values are given as posterior probabilities for the Bayesian analysis based on 107 generations, 25% burnin (only values ≥0.95 are shown).




Fig. S2: Phylogenetic relationships among fasciolariids as illustrated by the **Bayesian** majority consensus tree of the **28S** alignment. The tree is rooted on two buccinoideans (the Eosiphonidae *Manaria* sp., voucher MNHN-IM-2013-19891, and an undetermined Buccinidae, voucher MNHN-IM-2013-60365). Support values are given as posterior probabilities for the Bayesian analysis based on 107 generations, 25% burnin (only values ≥0.95 are shown).




Fig. S3: Phylogenetic relationships among fasciolariids as illustrated by the **Bayesian** majority consensus tree of the **COI** alignment. The tree is rooted on two buccinoideans (the Eosiphonidae *Manaria* sp., voucher MNHN-IM-2013-19891, and an undetermined Buccinidae, voucher MNHN-IM-2013-60365). Support values are given as posterior probabilities for the Bayesian analysis based on 107 generations, 25% burnin (only values ≥0.95 are shown).




Fig. S4: Phylogenetic relationships among fasciolariids as illustrated by the **Bayesian** majority consensus tree of the **H3** alignment. The tree is rooted on two buccinoideans (the Eosiphonidae *Manaria* sp., voucher MNHN-IM-2013-19891, and an undetermined Buccinidae, voucher MNHN-IM-2013-60365). Support values are given as posterior probabilities for the Bayesian analysis based on 107 generations, 25% burnin (only values ≥0.95 are shown).




Fig. S5: Phylogenetic relationships among conoideans as illustrated by the ML majority consensus tree of the **16S** alignment. The tree is rooted on two buccinoideans (the Eosiphonidae *Manaria* sp., voucher MNHN-IM-2013-19891, and an undetermined Buccinidae, voucher MNHN-IM-2013-60365). Support values are given as ultrafast bootstrap support after ML analysis of 1000 pseudoreplicates (only values >95% are shown).




Fig. S6: Phylogenetic relationships among conoideans as illustrated by the ML majority consensus tree of the **28S** alignment. The tree is rooted on two buccinoideans (the Eosiphonidae *Manaria* sp., voucher MNHN-IM-2013-19891, and an undetermined Buccinidae, voucher MNHN-IM-2013-60365). Support values are given as ultrafast bootstrap support after ML analysis of 1000 pseudoreplicates (only values ≥95% are shown).




Fig. S7: Phylogenetic relationships among conoideans as illustrated by the ML majority consensus tree of the **COI** alignment. The tree is rooted on two buccinoideans (the Eosiphonidae *Manaria* sp., voucher MNHN-IM-2013-19891, and an undetermined Buccinidae, voucher MNHN-IM-2013-60365). Support values are given as ultrafast bootstrap support after ML analysis of 1000 pseudoreplicates (only values ≥95% are shown).




Fig. S8: Phylogenetic relationships among conoideans as illustrated by the ML majority consensus tree of the H3 alignment. The tree is rooted on two buccinoideans (the Eosiphonidae *Manaria* sp., voucher MNHN-IM-2013-19891, and an undetermined Buccinidae, voucher MNHN-IM-2013-60365). Support values are given as ultrafast bootstrap support after ML analysis of 1000 pseudoreplicates (only values ≥95% are shown).