Supplementary Data

Mediterranean Marine Science
Indexed in WoS (Web of Science, ISI Thomson) and SCOPUS
www.hcmr.gr
DOI: https://doi.org/10.12681/mms.36616

Wave attenuation by *Cystoseira sensu lato* in two shallow Mediterranean coastal waters

Evangelos PAPADIMITRIOU, Amel HANNACHI, Apostolos PAPADIMITRIOU, Hamouda BEYREM, Ioannis KEFALAS, Ezzeddine MAHMOUDI, Badreddine SELLAMI, Chris J. SMITH, Vasillis PAPATHANASIOU, Simonetta FRASCHETTI, Roberto DANOVARO and Sotiris ORFANIDIS

Mediterranean Marine Science, 25 (3) 2024



Fig. S1: Map of the study area of the Greek coast.



Fig. S2: Map of the study areas of the Tunisian coast.

Fig. S3: Placement of gypsum cones in Greek coasts.

Fig. S4: Placement of gypsum cones in Tunisian coasts.

Table S1. Sea conditions for each treatment in the Greek experiment.

Country	Treatments	Date	Waves (m)	Average Depth (cm)	Wind (km/h)
Greece	1	28/7/20	0.11	59.4	8.69
Greece	2	29/7/20	0.1	59.4	7.41
Greece	3	30/7/20	0.11	46.5	7.17
Greece	4	31/7/20	0.13	60.1	12.04
Greece	5	1/8/20	0.18	56.8	17.35
Greece	6	2/8/20	0.27	56.8	20.02
Greece	7	3/8/20	0.34	51.6	21.65
Greece	8	4/8/20	0.34	51.6	21.19
Greece	9	5/8/20	0.39	51.6	16.56
Greece	10	6/8/20	0.38	51.6	18.06
Tunisia	1	25/9/22	0.47	N/A	29.23
Tunisia	2	16/10/22	0.62	N/A	24.41
Tunisia	3	12/11/22	0.4	N/A	11.52