

Mediterranean Marine Science

Vol 26, No 1 (2025)

Mediterranean Marine Science



Temperature Effects on Growth Rates and Predation Loss of Bacterial Groups in Marine Ecosystems

STEFANIJA ŠESTANOVIC, ANA VRDOLJAK TOMAS,
MLADEN ŠOLIĆ, DANIJELA ŠANTIĆ, NATALIA
BOJANIĆ

doi: [10.12681/mms.38158](https://doi.org/10.12681/mms.38158)

To cite this article:

ŠESTANOVIC, S., VRDOLJAK TOMAS, A., ŠOLIĆ, M., ŠANTIĆ, D., & BOJANIĆ, N. (2025). Temperature Effects on Growth Rates and Predation Loss of Bacterial Groups in Marine Ecosystems. *Mediterranean Marine Science*, 26(1), 131–148. <https://doi.org/10.12681/mms.38158>

Temperature Effects on Growth Rates and Predation Loss of Bacterial Groups in Marine Ecosystems

Stefanija ŠESTANOVIC, Ana VRDOLJAK TOMAŠ, Mladen ŠOLIĆ, Danijela ŠANTIĆ, and Natalia BOJANIĆ

Mediterranean Marine Science, 26 (1) 2025




Fig. S1: Map of the investigated area.




Fig. S2: Scheme of the experimental design.

Table S1. Concentrations of nutrients (average \pm standard deviation) during the experiment at ambient (T_{amb}) and a 3°C increased temperature ($T_{\text{amb}}+3$).

Parameter	Time (hours)	T_{amb}		$T_{\text{amb}}+3$	
		< 2 mm fraction	< 200 mm fraction	< 2 mm fraction	< 200 mm fraction
NO_2^- (mmol L ⁻¹)	0	7.10 \pm 0.51	6.79 \pm 0.70	7.34 \pm 0.79	7.29 \pm 0.30
	24	7.02 \pm 0.58	7.03 \pm 0.68	7.19 \pm 0.51	7.62 \pm 0.46
	48	6.83 \pm 0.32	6.82 \pm 0.65	6.76 \pm 0.72	7.21 \pm 0.93
	72	6.26 \pm 0.26	6.74 \pm 0.62	6.71 \pm 0.42	7.84 \pm 0.41
	96	5.56 \pm 0.30	6.58 \pm 0.48	6.41 \pm 0.51	7.23 \pm 0.30
NO_3^- (mmol L ⁻¹)	0	13.59 \pm 1.09	16.47 \pm 0.65	14.10 \pm 0.98	15.19 \pm 0.61
	24	16.52 \pm 0.72	16.43 \pm 0.56	16.88 \pm 0.78	17.58 \pm 0.66
	48	13.41 \pm 0.81	14.07 \pm 0.64	13.80 \pm 1.06	16.76 \pm 0.88
	72	13.93 \pm 1.01	13.52 \pm 0.66	12.90 \pm 1.47	14.25 \pm 0.84
	96	10.72 \pm 0.89	11.52 \pm 0.52	13.54 \pm 0.62	13.75 \pm 0.41
NH_4^+ (mmol L ⁻¹)	0	2.56 \pm 0.31	2.22 \pm 0.19	1.96 \pm 0.31	1.70 \pm 0.31
	24	1.16 \pm 0.15	0.07 \pm 0.02	0.74 \pm 0.14	0.15 \pm 0.05
	48	1.25 \pm 0.09	0.13 \pm 0.01	1.34 \pm 0.15	0.50 \pm 0.20
	72	0.97 \pm 0.12	0.39 \pm 0.06	1.39 \pm 0.14	0.38 \pm 0.10
	96	0.85 \pm 0.09	0.16 \pm 0.02	0.64 \pm 0.11	0.49 \pm 0.09
HPO_4^{2-} (mmol L ⁻¹)	0	0.16 \pm 0.05	0.09 \pm 0.02	0.22 \pm 0.06	0.19 \pm 0.03
	24	0.41 \pm 0.04	0.06 \pm 0.02	0.25 \pm 0.09	0.28 \pm 0.10
	48	0.14 \pm 0.01	0.10 \pm 0.03	0.15 \pm 0.03	0.11 \pm 0.02
	72	0.16 \pm 0.08	0.03 \pm 0.00	0.15 \pm 0.04	0.14 \pm 0.06
	96	0.06 \pm 0.01	0.01 \pm 0.00	0.06 \pm 0.03	0.11 \pm 0.07

Table S2. Oligonucleotide probes and hybridization conditions used for CARD-FISH. FA (%): final concentration of formamide used in the hybridization buffer.

Probe	Sequence (5'.....3')	Target group	FA (%)	Reference
EUB338	GCTGCCTCCCGTAGGAGT	Most <i>Eubacteria</i>	55	Amann <i>et al.</i> , 1990
GAM42a	GCCTTCCCACATCGTTT	<i>Gammaproteobacteria</i>	55	Manz <i>et al.</i> , 1992
CF319a	TGGTCCGTGTCTCAGTAC	<i>Bacteroidetes</i>	55	Manz <i>et al.</i> , 1996
ROS537	CAACGCTAACCCCCCTCC	<i>Roseobacter</i> clade	55	Eilers <i>et al.</i> , 2001
SAR11-441R	TACAGTCATTCTTCCCCGAC	<i>SAR11</i> clade	45	Morris <i>et al.</i> , 2002
Non338	ACTCCTACGGGAGGCAC	Control probe of EUB338	55	Wallner <i>et al.</i> , 1993