


## Byzantina Symmeikta

Vol 18 (2008)

BYZANTINA SYMMEIKTA 18



Fishes and other aquatic species in the Byzantine literature. Classification, terminology and scientific names.

Maria CHRONE-VAKALOPOULOS, Angelos VAKALOPOULOS

doi: [10.12681/byzsym.359](https://doi.org/10.12681/byzsym.359)

Copyright © 2014, Maria CHRONE-VAKALOPOULOS, Angelos VAKALOPOULOS



This work is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike 4.0](https://creativecommons.org/licenses/by-nc-sa/4.0/).

### To cite this article:

CHRONE-VAKALOPOULOS, M., & VAKALOPOULOS, A. (2009). Fishes and other aquatic species in the Byzantine literature. Classification, terminology and scientific names. *Byzantina Symmeikta*, 18, 123–157.  
<https://doi.org/10.12681/byzsym.359>

MARIA CHRONE-VAKALOPOULOS – ANGELOS VAKALOPOULOS

FISHES AND OTHER AQUATIC SPECIES IN BYZANTINE LITERATURE  
CLASSIFICATION, TERMINOLOGY AND SCIENTIFIC NAMES

Fish was a substantial food item during antiquity and the Middle Ages for the people living around the Mediterranean area, as it is considered of high nutritional value<sup>1</sup>. Fishes are mentioned in respective Byzantine texts more often than any other foodstuff. After Christianity was predominated and the rules of the new religion were established, the statute of fasting contributed determinatively to the increased consumption of fish and aquatic species in general, since the basic criterion for defining the foods allowed for eating was the content in blood. In some fasting days, such as the Lent of Christmas,

1. J. ANDRÉ, *L'alimentation et la cuisine à Rome*, Paris 1961. K. P. MATSCHKE, Situation, Organisation und Aktion der Fischer von Konstantinopel und Umgebung in der byzantinischen Spätzeit, *Byzantinobulgarica* 6 (1980) 281-298. G. PURPURA, Pesca e stabilimenti antichi per lavorazione del pesce in Sicilia, *Sicilia Archeologica* 57-58 (1985) 59-86. F. TINNEFELD, Zur Kulinarischen Qualität Byzantinischer Speisefische, *Chich/ukai ronsh/u: Studies in the Mediterranean world, past and present* 11: Collected papers dedicated to Kin-ichi Watanabe (Tokyo 1988) 155-176. N. PURSELL, Eating Fish. The Paradoxes of Seafood, *Food in Antiquity*, ed. J. WILKINS - D. HARVEY - M. DOBSON, Exeter 1995, 132-149. T. G. KOLIAS, Versorgung des byzantinischen Marktes mit Tieren und Tierprodukten, *Internationales Symposium Handelswege und Verkehrswege. Commodities and Traffic Routes. Aspekte der Warenversorgung im östlichen Mittelmeerraum (4. bis 15. Jahrhundert). Aspects of Supply and Accommodation in the Eastern Mediterranean (4th to 15th Centuries)*. Institut für Byzantinistik und Neogräzistik der Univ. Wien - Kommission für die Tabula Imperii Byzantini der ÖAW - Österreichische Byzantinische Gesellschaft. Wien 19.-22. Oktober 2005 (proceedings under publication). D. MYLONA, *Fish-Eating in Greece from the Fifth Century B.C. to the Seventh Century A.D.: A Story of Impoverished Fishermen or Luxurious Fish Banquets*, Oxford 2008. M. GEROLYMATOU, Ἀγορές, ἔμποροι καὶ ἐμπόριο στὸ Βυζάντιο, Athens 2008, 65-67.

the Transfiguration feast day on August 6 that is included in the fasting period for the Assumption of Virgin Mary on August 15, or the feast of the Annunciation on March 25 that is included in the Lent of Easter, eating of fish is provided<sup>2</sup>. In addition, the consumption of all the other sea-food, except of fish, is allowed in all the fasting periods. This might be concluded from the absence of any relevant prohibition in the extant typologies of monasteries and from the oral evidence expressed by modern monks, whose monasteries have adopted the Byzantine tradition. During also the breaking of fasting, fish takes the place of meat in the monastic meals, if its consumption is prohibited by the rules of the monastery<sup>3</sup>.

Main sources are texts dealing with nutrition, written by Byzantine doctors and *Geponika*<sup>4</sup> that provide guidelines for fishing methods of

2. See Ἐκκλησιαστικὸν Τυπικόν, Venice 1685. Ωρολόγιον Μέγα, περιέχον ἀπασαν τὴν ἀνήκουσαν αὐτῷ ἀκολουθίαν κατὰ τὴν τάξιν τῆς Ἀνατολικῆς Ἐκκλησίας καὶ τῶν ὑποκειμένων αὐτῇ εὐαγῶν μοναστηρίων, Venice 1851. Τυπικὸν τῆς Βασιλικῆς Μονῆς τοῦ Παντοκράτορος, ed. P. GAUTIER, Le Typikon du Christ Sauveur Pantocrator, REB 32 (1974) 56-60. Τυπικὸν τοῦ Ἅγιου Ὁρούς γεγονός ἐπὶ τῆς βασιλείας τοῦ ἀειμνήστου βασιλέως κυρίου Κωνσταντίνου τοῦ Μονομάχου, ed. Ph. MEYER, Die Haupturkunden für die Geschichte der Athosklöster, Leipzig 1894, 227.88-228.91. Eustathius of Thessaloniki, Λόγοι, ed. P. WIRTH, Eustathii Thessalonicensis Opera Minora, (CFHB 32), Berlin - New York 2000, 29. See also E. KISLINGER, Cristiani d'Oriente, regole e realtà alimentari nel mondo bizantino, *Storia dell'alimentazione*, a cura di J. L. FLANDRIN - M. MONTANARI, Rome - Bari 1997, 250-267. E. GIANNAKOPOULOU, Ἡ κρεοφαγία κατὰ τοὺς Ιεροὺς Κανόνες καὶ τὰ Πρακτικὰ τῶν Οἰκουμενικῶν Συνόδων, Athens 2002, 113-136.

3. Le Typikon Pantocrator, 56-60. Die Haupturkunden für die Geschichte der Athosklöster 227.88-228.91. Anonymous, Βίος τοῦ ὁσίου Συμεὼν τοῦ Στυλίτου, ed. P. VAN DEN VEEN, La Vie Ancienne de S. Symeon Stylite le Jeune (SubsHag 32), Bruxelles 1962, 148. Eustathius of Thessaloniki, Ἐπίσκεψις βίου μοναχικοῦ, ed. K. METZLER, Eustathii Thessalonicensis de Emendanda Vita Monachica, (CFHB 45), Berlin 2006, 112-113. Niketas Choniates, Χρονικὴ Διήγησις, ed. I. A. VAN DIETEN, Nicetae Choniatae Historia, (CFHB 11/1), Berlin - New York 1975, 145.14-25. Anonymous, Βίος καὶ Πολιτεία τοῦ ὁσίου Πατρὸς ἡμῶν Νείλου τοῦ Νέου, ed. P. G. GIOVANELLI, Rome 1972, 69, 89, 124. See also J. KODER, Ἡ καθημερινὴ διατροφὴ στὸ Βυζάντιο μὲ βάση τίς πηγές. Βυζαντινῶν διατροφὴ καὶ μαγειρεῖαι, Πρακτικὰ ἡμερίδας Περὶ τῆς διατροφῆς στὸ Βυζάντιο (Thessaloniki 2001), Athens 2005, 25-27. GIANNAKOPOULOU, Ἡ κρεοφαγία, 149-158, M. CHRONI-VAKALOPOULOU, Ἀναφορὲς τῶν βυζαντινῶν πηγῶν στὰ πτηνὰ καὶ στὰ ἔξ αὐτῶν προερχόμενα προϊόντα, ΕΕΦΣΠΑ 39 (2008) 281-303 (mainly 285-286).

4. Γεωπονικά, ed. H. BECKH, Geponica sive Cassianii Bassi scholastici de re rustica eclogae, Stuttgart - Leipzig 1895.

various fish species<sup>5</sup>. It seems that Byzantine doctors considered fish, in majority and most of the other aquatic animals as food of high nutritional value providing substantial benefits to human health<sup>6</sup>. Byzantine doctors adopted Galen's contemplation on the link between medicine and nutrition: Ιατρικὴν δὲ λέγειν ἡ ὑγιεινὴν οὐ διοίσει πρός γε τὰ παρόντα. περὶ τούτων οὖν εἰρήσεται (...), δσα συνεχῶς ἐσθίουσιν οἱ ἄνθρωποι<sup>7</sup>. Moreover, the products of fish, shell-fish and molluscs are used as raw materials for the preparation of pharmaceutical products in the composition of the prescriptions proposed in these medical texts<sup>8</sup>. However, information in regard to the names of fishes and aquatic species are reported in various

5. R. CURTIS, *Garum and salsamenta. Production and commerce in materia medica*, Leiden – New York – Copenhagen – Köln 1991.

6. See indicatively: Oribasius, *Ιατρικῶν συναγωγῶν βιβλία*, ed. I. RAEDER, *Oribasii Collectionum medicarum reliquiae* (Corpus Medicorum Graecorum [=CMG] 6.1-2), Leipzig – Berlin 1928-1933, 2.58, which in fact integrates Xenocrates, *Περὶ τῆς ἀπὸ ἐνίδρων τροφῆς* (see nn. 15, 30): *Πεποίηται μὲν ἡ νηχαλέα φύσις σιτίων ἀθυρμα ταῖς εὐτραπέζοις ἀπολαύσεσι, μέγα δὲ ὅφελος κάνει ταῖς καθ' ὑγιείαν διαιταῖς*. Georgios of Pisidia, *Ἐξαήμερος ἡ Κοσμουργία*, ed. L. TARTAGLIA, *Esamerone*, in *Carmi di Giorgio di Pisidia*, Torino 1998, 402, 1502-1519 [see mainly 1504-1505 (*στέαρ δὲ φράκης φλεγμονὰς οἰδημάτων σβέννυσιν*) and 1511-1518 (*καὶ βρῶσις ἀπλῆ τοῦ σκάρου τῶν ἐντέρων / εἴργει τὸ φεῦμα τῶν παρ' ἥμιν ἐντέρων / πόσις δὲ χυλοῦ κωβίων πετροστέγων / ὕθημα γαστρόδες γίνεται πεφραγμένης, / φθίσιν δὲ καὶ χμετλα καὶ τῶν σκορπίων / θραύει τὰ κέντρα καὶ καταψύχει πόνους / τοὺς λυσσοδήκτους, τοὺς δὲ καρκίνους ξέει / καρκίνος ἐλθὼν ἐκ βυθοῦ θαλαττίου*)]. See also Nikolaos Hydrountos, *Ποιήματα*, ed. M. GIGANTE, *Poeti bizantini di terra d'Otranto nel secolo XIII*, Napoli 1979, 15.80: *Ἐναιμον ἵχθυν καὶ σῦκον φέον γάλα / ἔσθιε πάντη καὶ μένεις ἄνευ βλάβης*.

7. Galen, *Περὶ λεπτυνούσης διαιτης*, ed. C. G. KÜHN, *De sanitate tuenda, Claudi Galeni opera omnia* (CMG 5), Leipzig – Berlin 1923 (repr. Hildesheim 1965), 3.23.

8. See indicatively: Theophanes Nonnos, *Σύνοψις ιατρική*, ed. J. St. BERNARD, *Theophanis Nonni epitome de curatione morborum*, Gotha – Amsterdam 1794 – 1795, 62.113: *Πρὸς σειομένους ὁδόντας καὶ αἵμασσόμενα οὐλα. Ἐπὶ τῶν μεγίστων ὁδονταλγιῶν ἄκρως ποιεῖ (...) μαστίχην ὀλίγην σμίξας σηπίας ὁστράκουν. Περὶ οὐλῶν καὶ λευκωμάτων. Ἐπίσταξε σηπίας ὁστρακον καμφθὲν καὶ σὸν μέλιτι λειωθέν. Symeon Seth, Σύνταγμα κατὰ στοιχεῖον περὶ τροφῶν δυνάμεων*, ed. B. LANGKAVEL, *Simeonis Sethi, Syntagma de alimentorum facultatibus*, Leipzig 1868, 60: *Περὶ καριδῶν. (...) τριβεῖσαι δὲ καὶ σὸν ὁξιμέλιτι ποθεῖσαι τὰς ἔλμινθας ἐκβάλλουσι*.

quotations of the broad field of Byzantine literature<sup>9</sup> that coincides, in the majority, with those included in the medical texts. Remarkable information on fish and other aquatic animals and their significance in the every day life of Byzantine people is offered in the studies of K. Dévedjian<sup>10</sup>, D. Georgacas<sup>11</sup>, E. Kislinger<sup>12</sup>, G. Dagron<sup>13</sup> and M. Kokoszko<sup>14</sup>.

The present study is part of an extensive research on the products of animal origin in Byzantine texts and covers two objectives: the

9. E. g. Basil of Caesarea, *Λόγος εἰς τὴν Ἐξαήμερον*, ed. E. A. DE MENDIETA – S. Y. RUDBERG, *Basilius von Caesarea, Homilien zum Hexaemeron*, Berlin 1997. Anonymous, Ὁ Φυσιολόγος, ed. D. KAIMAKIS, *Der Physiologos nach der ersten Redaktion*, Meisenheim 1974. Anonymous, *Συλλογὴ τῆς περὶ ζώων ἴστορίας, χερσαίων πτηνῶν τε καὶ θαλαττίων, Κωνσταντίνῳ τῷ μεγάλῳ βασιλεῖ καὶ αὐτοκράτορι φιλοπονηθεῖσα*. Ἀριστοφάνους τῶν Ἀριστοτέλους περὶ ζώων ἐπιτομή, ὑποτεθέντων ἐκάστῳ ζῷῳ καὶ τῶν Αἰλιανῷ καὶ Τιμοθέῳ καὶ ἑτέροις τούτῳ περὶ αὐτῶν εἰρημένων, ed. S. P. LAMBROS, *Supplementum Aristotelicum*, v. I. 1. *Excerptorum Constantini de natura animalium libri duo*, Aristophanis *Historiae animalium epitome, subiunctis Aelianis Timothei aliorumque eclogis*, Berlin 1885 (repr. 1965). Achmet, Ὄνειροκριτικόν, ed. F. DREXL, *Achmetis Onirocriticon*, Leipzig 1925. *Ptochoprodromus, Ποιήματα*, ed. H. EIDENEIER, *Ptochoprodromos* (Neograeca Medii Aevi 5), Köln 1991. Manuel Philes, *Περὶ ζώων ἰδιότητος*, ed. F. S. LEHRS – F. DÜBNER, *Phile De Animalibus, elephante, plantis, etc.*, in *Poetae bucolici et didactici*, Paris 1842. Anonymous, Ὄψαρολόγος, ed. H. WINTERWERB, *Porikologos* (Neograeca Medii Aevi 7), Köln 1992, 252-253 [=Opsarologos], according to K. KRUMBACHER's edition, *Das mittelgriechische Fischbuch*, in: *Sitzungsberichte der Bayerischen Akademie der Wissenschaften*, München 1903, Heft 3, 345-381.

10. K. DÉVEDJIAN, Ancien Directeur de la poissonnerie de Constantinople et contrôleur en chef des pêcheries, *Pêche et pêcheries en Turquie*, Constantinople 1926.

11. D. GEORGACAS, Turkish common names of aquatic animals and fishing terms of Greek Origin, *Bollettino dell'Atlante Linguistico Mediterraneo* 20 (1978) 119-145. D. GEORGACAS, *Ichthyological Terms for the Sturgeon and Etymology of the International Terms Botargo, Caviar and Congeners* (*Πραγματεῖαι τῆς Ἀκαδημίας Ἀθηνῶν*, 43), Athens 1978.

12. E. KISLINGER, *Gastgewerbe und Beherbergung in frühbyzantinischer Zeit: Eine realienkundliche Studie aufgrund hagiographischer und historiographischer Quellen* (Diss. Univ. Wien 1982, 74-91).

13. G. DAGRON, Poissons, pêcheurs et poissonniers de Constantinople, in: *Constantinople and its hinterland: papers from the twenty-seventh Spring Symposium of Byzantine Studies*, ed. C. MANGO – G. DAGRON, Oxford 1993, 57-73.

14. M. KOKOSZKO, Ryby i ich znaczenie w życiu codziennym ludzi późnego Antyku i wczesnego Bizancjum (III-VII w.), (title in English summary: The role of fish in everyday life of the people of late antiquity and early Byzantium (III-VII c.), *Byzantina Lodziensia* 9 (2005) 426-430.

presentation of the fish and the various aquatic species terminology as reported in the Byzantine sources and the identification of each species, correspondingly, with its current scientific name. The identification is based on the categorization provided by some of the sources and moreover on parameters related to the physiology of the species, as it is described in modern ichthyology<sup>15</sup>. The etymological affinity between the names of most fishes and other aquatic species reported in the Byzantine sources, with the corresponding common name in the Modern Greek language contributed significantly to the outcome of the research<sup>16</sup>.

15. The objectives of the present study do not intend to draw conclusions connected with the origin of some information of the texts that transfer data from other older sources, (see indicatively: Xenocrates, *Περὶ τῆς ἀπὸ τῶν ἐνύδρων τροφῆς*, ed. J. L. IDELER, *Xenocrates De alimentis ex fluviatilibus*, in *Physici et Medici Graeci minores [=PhMGM]*, Berlin 1841-1842 (repr. Amsterdam 1963) I, 121-133. Marcellus of Sydon, *Ταττικὰ περὶ ἰχθύων*, ed. J. L. IDELER, *Marcelli Sidetae Carmen de piscibus*, in *PhMGM* I, 134-137. Galen, *De sanitate tuenda*. Oppianus, *Ἀλιευτικά*, ed. F. FAJEN, *Oppianus, Halieutica. Der Fischfang. Einführung, Text, Übersetzung in deutscher Sprache, ausführliche Kataloge der Meeresfauna*, Stuttgart - Leipzig 1999. Claudius Aelianus, *Περὶ ζώων ἴδιότητος*, ed. A. F. SCHOLFIELD, *Aelian on the characteristics of animals*, Cambridge - Massachusetts 1957), or it is obtained from various cross-cultural interactions. [For this subject, see indicatively: G. HARIG, Von den arabischen Quellen des Symeon Seth, *Medizinhist. Journal* 2 (1964) 248-268. F. SEZGIN, *Geschichte des arabischen Schrifttums, Medizin - Pharmazie - Zoologie - Tierheilkunde*, Leiden 1970, III, 498-495. J. H. GRAF, Trepanation bei Byzantinern und Arabern, *Sudhoffs Archiv* 57 (1973) 332-340. R. DEGEN, Zur syrischen Übersetzung der Aphorismen des Hippokrates, *Oriens Christianus* 62 (1978) 36-52. M. ULLMANN, *Islamic Medicine*, Edinburgh 1978, 138-145. S. J. WILKIE - G. E. R. LLOYD, The Arabic Version of Galen's *De elementis secundum Hippocratem*, *JHS* 102 (1982) 232-233. M. MEYERHOF, *Studies in Medieval Arabic Medicine. Theory and Practice*, London 1984, 366-370. J. IRIGOIN, Les traductions arabes de traités médicaux grecs et leurs différents types de sources, *Tradizione e ecdotica dei testi medici tardoantichi e bizantini*, Napoli 1992, 147-155. D. JACQUART, À propos des sources Byzantines d'al' Magusi (Xe siècle): le livre d'Ahtun, *Tradizione e ecdotica dei testi medici tardoantichi e bizantini*, 157-169]. Such conclusions is the objective of a more extended research treating comparatively aquatic animals and other products of animal origin in the Byzantine sources.

16. The information obtained from the database of the Food and Drug Administration of the United Nations [FAO] was used in order to register the corresponding scientific name (SN) of each species (*Food and Drug Administration of the United Nations [FAO], Fishbase - Fisheries Information Center*): [www.fishbase.org](http://www.fishbase.org)). As additional references were used: A. F. WOOD, Greek Fish Names, *AJP* 48 (1927) 297-325 and *AJP* 49 (1928) 36-56. D'A. THOMPSON, *A Glossary of Greek Fishes*, London 1947. G. BINI, *Catalogo dei nomi dei*

## Fishes

In the texts of the Byzantine doctors, fishes are classified in categories based on their physiology and origin, because, according to the writers, these are determining factors for the nutritional value of each species.

In regard to their physiology, fishes are distinguished as *σκληρόσαρκοι*<sup>17</sup>, *σκληρόσαρκοι πλατεῖς*, *μαλακόσαρκοι* or *ἀπαλόσαρκοι*<sup>18</sup> and *μεσαῖοι*. In regard to their origin, they are distinguished as *αἰγιαλώδεις* or

*pesci, dei molluschi, e dei crostacei di importanza commerciale nel Mediterraneo*, Rome 1965. P. OIKONOMIDIS, Catalogue of Hellenic Fishes, *Hellenic Oceanology and Limnology*, 11 (1973) 421-599. A. DAVIDSON, *North Atlantic Seafood*, London 1979. A. DAVIDSON, *Mediterranean Seafood*, Harmondsworth 1981. K. PAPAKONSTANTINOU, *Κατάλογος τῶν θαλασσίων ἰχθύων τῆς Ελλάδας*, Thessaloniki 1988. H. ZACHARIOU-MAMALINGA, *The fishes of Symi, Dodecanese*, Kifisia 1990. CH. N. CHRISTOU, *Ίχθυοπονία*, Thessaloniki 1990. CH. N. CHRISTOU, *Ίχθυολογία*, Thessaloniki 1997. G. H. PNEUMATIKATOS, *Ίχθυοτροφεῖα καὶ ιχθυοπαθολογία*, Thessaloniki 1996. P. R. OIKONOMIDIS, *Κατάλογος τῶν ιχθύων τῆς Ελλάδας*, Thessaloniki 1997. G. D. FOTIS, *Έκτροφὴ καὶ παθολογία ιχθύων*, Thessaloniki 1999. G. TSONIS, *Tὸ ἀλφαβητάρι τῶν φαριῶν*, Athens 1999. A. DALBY, *Food in the ancient world from A to Z*, London – New York 2003. Acknowledgements belong to Dr. D. Bouboulis, ichthyopathologist, for his scientific contribution in the categorisation of the aquatic animals. In order to facilitate editing, the references to the sources have been included in the main text.

17. LSJ<sup>9</sup>. D. DIMITRAKOS, *Μέγα Λεξικὸν δλης τῆς Ἑλληνικῆς γλώσσης*, Athens 1954-1958 (=DimLex), entry *σκληρόσαρκος*. Aristoteles, *Τιτορίαι περὶ τῶν ζώων* 486b 9 (ed. P. LOUIS, *Aristote, Histoire des animaux*, v. 1, Paris 1964, 2). *Oribasii Collectionum*, 2.46-58. Basilios, *Homilien zum Hexaemeron*, 394. Alexander of Tralles, *Ιατρικὰ βιβλία*, ed. T. PUSCHMANN, *Alexander von Tralles, Zur Geschichte der Medicin*, v. I-II, Vienna 1876-1878 (repr. Amsterdam 1963), 2.307. Anonymous, *Περὶ τῶν δώδεκα μηνῶν τοῦ ἐνιαυτοῦ, ποίαις δεῖ χρῆσθαι τροφαῖς ἐν ἑκάστῳ αὐτῶν καὶ ἀπὸ ποίων ἀπέχεσθαι*, ed. J. L. IDELER, *Anonymi Mensium Natura*, in *PhMGM* I, 423-429 (429). KOKOSZKO, Ryby i ich znaczenie, 137.

18. LSJ<sup>9</sup>, entry *ἀπαλόσαρκος*. DimLex. E. TRAPP, *Lexikon zur byzantinischen Gräzität, besonders des 9.-12. Jahrhunderts*, Wien 2001-2007 (=TrappLex), entries *ἀπαλόσωμος*, *μαλακόσαρκος*. Aristoteles, *Τιτορίαι περὶ τῶν ζώων* 486b 9 (ed. P. LOUIS, *Aristote, Histoire des animaux*, v. 1, Paris 1964, 2). *Oribasii Collectionum*, 2.58. Hierophilus Philosopher, *Περὶ τροφῶν κύκλος*, ed. J. L. IDELER, *De Nutriendi Methodo*, in *PhMGM* I, 409-420 (410). *Anonymi Mensium Natura*, 423. Georgios Pachymeres, *Περὶ ζώων μορίων*, ed. E. PAPPA, *Georgios Pachymeres, Philosophia, Buch 6. Kommentar zu "De partibus animalium" des Aristoteles*, Athens 2008, 12.13-14.

αἰγιάλειοι<sup>19</sup>, πετραῖοι<sup>20</sup>, πελάγιοι<sup>21</sup>, θαλάσσιοι<sup>22</sup>, ποτάμιοι and λιμναῖοι<sup>23</sup>. As σκληρόσαρκοι are characterised the fishes with tough flesh. The term μαλακόσαρκοι or ἀπαλόσαρκοι characterises the fish and other aquatic species with tender flesh. The separation of fishes in σκληρόσαρκοι and μαλακόσαρκοι in πελάγιοι, αἰγιαλώδεις and πετραῖοι, was first described by Aristoteles.

### Σκληρόσαρκοι

Ἀλώπηξ or κερδαλῆ: SN: *Alopias Vulpinus* (Hesychius of Alexandria, Λεξικόν, ed. K. LATTE, *Hesychii Alexandrini Lexicon*, v. 1. A-Δ. - v. 2. E-O, Copenhagen 1953, 1966. - V. 3. Π-Σ, ed. P. A. HANSEN, Berlin 2005 (in connection with the older *editio minor* by M. SCHMIDT, *Hesychii Alexandrini Lexicon*, Jena 1867, for the letters T-Ω) [=HesLex], entry κερδαλῆ. *Oribasii Collectionum*, 2.58. *Geponica*, 20.7. *Phile De Animalibus*, 1848-1852)<sup>24</sup>.

Ἄμια: SN: *Thunnus thynnus* (HesLex, entry ἄμια. *Geponica*, 20.7. *Ptochoprodromos*, IV, 208: γονφάρια)<sup>25</sup>.

Βούγλωσσος: SN: *Buglossidium Luteum* (HesLex, entry βούγλωσσον. *Oribasii Collectionum*, 2.51, 2.58, 3.1. *Alexander von Tralles*, 2.61. *Simeonis Sethi Syntagma*, 30. *Phile De Animalibus*, 1761-1770)<sup>26</sup>.

19. Fish species living in shallow water close to the coast. LSJ<sup>9</sup>. DimLex, entry αἰγιαλώδης. *Oribasii Collectionum*, 2.58. *Basilios, Homilien zum Hexaemeron*, 394.

20. SN: Saxatiles Pisces. Fish species living near rocks in the bottom of the sea. The same term characterises the fish category also today. LSJ<sup>9</sup>. DimLex, entry πετραῖος. *Oribasii Collectionum*, 2.58. *Basilios, Homilien zum Hexaemeron*, 394. Michael Psellos, *Πόνημα Ιατρικὸν ἔργον δι' ἴαμβων*, ed. L. G. WESTERINK, *De Medicina*, in: *Michaelis Pselli Poemata*, Stuttgart - Leipzig 1992, 190-233 (212). *Anonymi Mensium Natura*, 423, 426.

21. Fish species living in great depths and in the open sea. LSJ<sup>9</sup>. DimLex, entry πελάγιος. *Oribasii Collectionum*, 2.58. *Basilios, Homilien zum Hexaemeron*, 394.

22. Fish species living in the sea in contradistinction to those living in lakes and rivers. LSJ<sup>9</sup>. DimLex, entry θαλάσσιος. *Oribasii Collectionum*, 2.58. *Basilios, Homilien zum Hexaemeron*, 394.

23. Fish species living in lakes and rivers. LSJ<sup>9</sup>. DimLex, entries ποτάμιος, λιμναῖος. *Diokletians Preisedikt*, ed. S. LAUFFER, Berlin 1971, 109. *Oribasii Collectionum*, 2.58. *Basilios, Homilien zum Hexaemeron*, 394. Michaelis Pselli, *De Medicina*, 215-216. See also A. KARPOZOLOS, *Realia in Byzantine Epistolography XIII-XVc*, *BZ* 85 (1995) 68-84 (71).

24. LSJ<sup>9</sup>, entry ἀλώπηξ.

25. LSJ<sup>9</sup>, entry ἄμια. GEORGACAS, Turkish common names, 127.

26. LSJ<sup>9</sup>, entry βούγλωσσος. G. W. H. LAMPE, *A Patristic Greek Lexicon*, Oxford 1961-1968 (=Lampe), entry βούγλωσσος. TRAPPLEX, entries βούγλωσσον, βώγλωσσον,

*Γαλεώνυμος.* SN: *Mustelus Punctulatus* (*HesLex*, entry *γαλεώτης*. Souda, Λεξικόν, ed. A. ADLER, Leipzig 1928-1938 [repr. Stuttgart 1989-1994] (=SudLex)], entry *γαλέα*, *γαλεός*. Joannes Zonaras, Λεξικόν, ed. J. A. H. TITTMANN, *Joannis Zonarae Lexicon*, Leipzig 1808 [repr. Amsterdam 1967 (=ZonLex)], entry *γαλεός* / *γαλεώτης*. *Oribasii Collectionum*, 2.52. *Opsarologos*, 252)<sup>27</sup>.

*Δράκων.* SN: *Trachinus Draco* (*Oribasii Collectionum*, 2.51. *Basilius von Caesarea, Homilien zum Hexaemeron*, 398)<sup>28</sup>.

*Ἐλαψ.* SN: *Galeus Melastomus* (*Geponica*, 20.7)<sup>29</sup>.

*Ἐρυθρόνος* or *λύθρονος.* SN: *Pagellus Erythrinus* (*HesLex*, entry *ἐρυθρῖνοι*. *Oribasii Collectionum*, 2.58. *Hiérophili De Nutriendi Methodo*, 409)<sup>30</sup>.

*Θρανίς* or *Ξιφίας.* SN: *Xiphias Gladius* (*HesLex*, entry *ξιφίας*. *SudLex*, entry *θρανίτις*. *ZonLex*, entry *ξιφίας*. *Oribasii Collectionum*, 2.58. *Simeonis Sethi Syntagma*, 73. *Ptochoprodromos*, IV, 207. Theodoros Prodromos, *Στίχοι κατὰ ἰατρικὴν ἐπιστήμην εἰς τὸντοὺς ιψὶ μῆνας*, ed. J. L. IDELER, *Theodori Prodromi Mensium Adornatio*, in *PhMGM I* 418-420 (420). *Opsarologos*, 252. Anonymous, *Τοῦ Θεολογάκη ώς ἐκ προσώπου τῶν καλουμένων τεῦρων*, ed. S. P. LAMBROS, *Νέος Ἑλληνομνήμων*, 7.4 (1910) 353-359 [355, 358])<sup>31</sup>.

*Θυρνίς* and *θύρνος.* SN: *Thunnus Thynnus*. In the past, the term characterised a large category of tunny-fishes living in the Mediterranean Sea, in which *παλαμίδα* (SN: *Sarda Unicolor*: bonito) and *δοκυννα*

βούγλωττα. GEORGACAS, Turkish common names, 127. KISLINGER, *Gastgewerbe und Beherbergung*, 104.

27. LSJ<sup>9</sup>, entry *γαλεώνυμος*. TrappLex, entry *γαλέον*. E. KRIARAS, Λεξικὸ τῆς μεσαιωνικῆς ἑλληνικῆς δημάδους γραμματείας (=KriarasLex), v. 4 (Thessaloniki 1975), entry *γαλέα*. GEORGACAS, Turkish common names, 127, 135. KOKOSZKO, 430.

28. LSJ<sup>9</sup>, entry *δράκων*. KriarasLex, v. 5 (1977), entry *δράκαινα*. K.-H. LEVEN, *Antike Medizin. Ein Lexikon*, München 2005, entry *Schlange*. GEORGACAS, Turkish common names, 128.

29. DimLex, entry *μελανόστομος*. GEORGACAS, *Ichthyological Terms*, 115-119.

30. LSJ<sup>9</sup>, entry *ἐρυθρόνος*. TrappLex, entry *λυθρινάριον*. KriarasLex, v. 9 (1985), entry *λυθρινάρι / λεθρινάρι(ον)*. A. KORAIS, *Ξενοκράτης - Γαληνός, Περὶ τῆς ἀπὸ τῶν ἐνύδρων τροφῆς*, Paris 1814, 61. KISLINGER, *Gastgewerbe und Beherbergung*, 82.

31. LSJ<sup>9</sup>, entries *θρανίς*, *Ξιφίας*, *Ξιφιός*. TrappLex, entry *ξιφίας*. KriarasLex, v. 12 (1993), entry *Ξιφιός*. DÉVEDJIAN, 4-10. KISLINGER, *Gastgewerbe und Beherbergung*, 76.

(SN: *Thunnus Alalunga*: albacore / yellowfin tuna) were included. (*HesLex*, entry θύννος. *Oribasii Collectionum*, 1.3, 2.57, 58. *Alexander von Tralles*, 2.473. *Geponica*, 20.7, 17, 34, 46. *Simeonis Sethi Syntagma*, 43. *Excerptorum Constantini de natura animalium*, 1.40. *Der Physiologos*, 144a. *Michaelis Pselli De Medicina*, 231. *Ptochoprodromos*, IV, 237. *Opsarologos*, 252)<sup>32</sup>.

*Ιουλίς*: SN: *Coris Julis* (*Oribasii Collectionum*, 2.49, 58. *Geponica*, 20.7. Hierophilus Philosopher, *Πῶς ὄφείλει διαιτᾶσθαι ἄνθρωπος ἐφ' ἔκάστῳ μηνί*, ed. A. DELATTE, *Hiérophili Traités Alimentaires*, in *Anecdota Atheniensia et alia*, v. II, Paris – Liège 1939, 456-466 (462). *Anonymi Mensium Natura*, 429. *Phile De Animalibus*, 1853-1865. *Georgios Pachymeres*, 43.23)<sup>33</sup>.

*Κεντρίτης* ορ κεντρίνης: SN: *Centrophorus Granulosus* (*HesLex*, entry κεντρίναι. *Phile De Animalibus*, 1640)<sup>34</sup>.

*Κεστρεύς*: SN: *Barbus Graecus* (*HesLex*, entry κεστρεῖς. *SudLex*, entries κεστρέαι, κεστρεῖς, κεστρίνος. *Oribasii Collectionum*, 2.58, 62. (where it is strongly recommended for salting). *Geponica*, 20.15, 16, 17, 30, 41. *Excerptorum Constantini de natura animalium*, 1.40)<sup>35</sup>.

*Κέφαλος*: SN: *Mugil Cephalus* (*HesLex*, entry κεφαλῖνος. *Oribasii Collectionum*, 2.46. *Alexander von Tralles*, 2.473. *Geponica*, 20.7, 15, 16, 17, 20, 41. *Simeonis Sethi Syntagma*, 59, 63. *Ptochoprodromos*, IV, 178. *Hiérophili De Nutriendi Methodo*, 409, 410, 411. *Hiérophili Traités Alimentaires*, 462. *Anonymi Mensium Natura*, 423, 424, 427. *Phile De Animalibus*, 1623-1629. *Opsarologos*, 252)<sup>36</sup>.

32. LSJ<sup>9</sup>, entries θύννος, θυννίς. *TrappLex*, entry θύν(ν)α. *KriarasLex*, v. 7 (1980), entry θύννα. KORAIIS, Ξενοκράτης – Γαληνός, 65: «θύννος καὶ ὅρκννος καὶ παλαμὺς οὐ διαφόρου εἶδονς ἀλλὰ διαφόρου ἡλικίας εἰσὶν ὀνόματα». However, according to FAO, θύννος is registered as tuna fish. DÉVEDJIAN, 10-15. GEORGACAS, Turkish common names, 131, 133. KISLINGER, *Gastgewerbe und Beherbergung*, 78. KOKOSZKO, 430.

33. LSJ<sup>9</sup>, entry ιουλίς.

34. LSJ<sup>9</sup>, entry κεντρίτης, κεντρίνης. *TrappLex*, entry κεντρίτης. GEORGACAS, Turkish common names, 128.

35. LSJ<sup>9</sup>, entries κέστρα, κεστρεύς, κεστρίνος. KISLINGER, *Gastgewerbe und Beherbergung*, 78. A. KARPOZELOS, Realia in Byzantine Epistolography X-XIIc, *BZ* 77 (1984) 20-37, (24). KOKOSZKO, 430. KARPOZELOS, Realia in Byzantine Epistolography XIII-XVc, 71.

36. LSJ<sup>9</sup>, entries κεστρεύς, κέφαλος. *KriarasLex*, v. 8 (1982), entry κέφαλος. GEORGACAS, Turkish common names, 128. KISLINGER, *Gastgewerbe und Beherbergung*, 78. KARPOZELOS, Realia in Byzantine Epistolography X-XIIc, 24. KOKOSZKO, 430. KARPOZELOS, Realia in Byzantine Epistolography XIII-XVc, 71.

**Κόκκυξ.** SN: *Aspitrigla Culus*. Possibly, the name originates from the noise of the fish fins when they move, that is similar to the voice of cuckoo (*HesLex*, entry κόκκυξ. *Oribasii Collectionum*, 2.59. *Alexander von Tralles*, 2.251, 367. *Hiérophili De Nutriendi Methodo*, 412. *Hiérophili Traités Alimentaires*, 460, 462. *Anonymi Mensium Natura*, 429. See and Aristoteles, *Iστορίαι περὶ τῶν ζώων*, 535b 20, 598a 15 (ed. P. LOUIS, *Aristote, Histoire des animaux*, v. 1, Paris 1964, 148; v. 3, Paris 1969, 32)<sup>37</sup>.

**Κολίας.** SN: *Scomberesox Saurus Saurus* (*Oribasii Collectionum*, 2.58, 72, where it is suggested to be eaten mainly as salted)<sup>38</sup>.

**Κυπρῖνος.** SN: *Cyprinus Carpio Caprio*. A fish species living in lakes and rivers (*HesLex*, entry κυπρῖνος. *Excerptorum Constantini de natura animalium*, 1.40)<sup>39</sup>.

**Λακέρτα:** SN: *Katsuwonus Peramis* (*Opsarologos*, 252-253. Anonymous, Toῦ Θεολογάκη, 353, 355, 358)<sup>40</sup>.

**Μελάνουρος:** SN: *Oblada Melanura* (*Oribasii Collectionum*, 2.58. *Geponica*, 20.7, 40, 45. *Phile De Animalibus*, 1650-1659. *Hiérophili De Nutriendi Methodo*, 410, 412. *Hiérophili Traités Alimentaires*, 460. *Anonymi Mensium Natura*, 427)<sup>41</sup>.

**Ὥρκυνος.** SN: *Thunnus Alalunga* (*HesLex*, entry ὄρκυνος. *Oribasii Collectionum*, 2.58. Anonymous, Toῦ Θεολογάκη, 355, 358)<sup>42</sup>.

**Ὥρφος:** SN: *Epinephelus Aeneus* (*HesLex*, entry ὄρφος. *SudLex*, entry ὄρφως. *Oribasii Collectionum*, 2.52. *Geponica*, 20.7, 20. *Hiérophili Traités Alimentaires*, 458, 462. *Anonymi Mensium Natura*, 426)<sup>43</sup>.

37. LSJ<sup>9</sup>, entry κόκκυξ. KISLINGER, *Gastgewerbe und Beherbergung*, 79.

38. LSJ<sup>9</sup>, entry κολίας. TrappLex, entry κολιός. GEORGACAS, Turkish common names, 129. KOKOSZKO, 431.

39. LSJ<sup>9</sup>, entry κυπρῖνος. KriarasLex, v. 9 (1985), entry κυπρῖνος / κυπρινάρι(ο)ν.

40. TrappLex, entry λακέρτα. KriarasLex, v. 9 (1985), entry λακέρτα. GEORGACAS, Turkish common names, 129. KISLINGER, *Gastgewerbe und Beherbergung*, 76.

41. LSJ<sup>9</sup>. TrappLex, entry μελάνουρος. KriarasLex, v. 10 (1988), entry μελανούρι. GEORGACAS, Turkish common names, 130. KISLINGER, *Gastgewerbe und Beherbergung*, 82.

42. LSJ<sup>9</sup>, entry ὄρκυνος, ὄρκυς. TrappLex, entry ὄρκυνέος. KriarasLex, v. 14 (1997), entry ὄρκυνος.

43. LSJ<sup>9</sup>, entry Ὥρφος. GEORGACAS, Turkish common names, 127.

*Πηλαμύς*: SN: *Sarda Sarda* (*HesLex*, entry *πηλαμύς*. *Oribasii Collectionum*, 2.58, where an evaluation of the quality of the species subcategories is mentioned. *Alexander von Tralles*, 2.67. *Excerptorum Constantini de natura animalium*, 1.40. *Ptochoprodromos*, IV, 105)<sup>44</sup>.

*Ῥαφίς*: SN: *Syngnathus Phlegon* (*SudLex*, entry *ῥαφίς*. *Geponica*, 20.7)<sup>45</sup>.

*Σάλπη*: SN: *Sarpa Salpa* (*HesLex*, entry *σάλπη*. *Oribasii Collectionum*, 2.58. Aristoteles, *Ιστορίαι περὶ τῶν ζώων* 534a 9 (ed. P. LOUIS, *Aristote, Histoire des animaux*, v. 1, Paris 1964, 144)<sup>46</sup>.

*Σινόδων*: SN: *Galeorhinus Galeus* (*HesLex*, entry *σινόδονς*. *Oribasii Collectionum*, 2.58, where an evaluation of the quality of the species subcategories is mentioned. *Excerptorum Constantini de natura animalium*, 1.40)<sup>47</sup>.

*Σκόμβρος*: SN: *Scomber Scombrus* (*HesLex*, entry *σκομβρίδες*. *Oribasii Collectionum*, 2.61. *Alexander von Tralles*, 1.543, 2.473. *Geponica*, 20.7, where its use as raw material for the preparation of brine is recommended. Joannes Tzetzes, *Ἐπιστολαί*, ed. P. A. M. LEONE, *Ioannes Tzetzes Epistulae*, Leipzig 1972, 81, letter n. 57. *Ptochoprodromos*, IV, 105, 237. *Opsarologos*, 252. Anonymous, *Τοῦ Θεολογάκη*, 353 (*τξύροι*), 354, 356)<sup>48</sup>.

*Σκορδύλη*: SN: *Phycis Phycis* (*HesLex*, entry *σκορδύλη*. *Geponica*, 20.7)<sup>49</sup>.

*Σκόρπαινα*: SN: *Scorpaena Porcus* (*Oribasii Collectionum*, 2.58. *Excerptorum Constantini de natura animalium*, 1.40)<sup>50</sup>.

*Σκορπιός*: SN: *Scorpaena Scrofa* (*HesLex*, entry *σκορπίος*. *Alexander von Tralles*, 1.543, 2.367. *Geponica*, 20.7. *Opsarologos*, 253. *Hiérophili De*

44. *TrappLex*, entry *παλαμίζ*. *LSJ<sup>ρ</sup>*, entry *πηλαμύς*. *KriarasLex*, v. 14 (1997), entry *παλαμίδα*. DÉVEDJIAN, 16-23. KOKOSZKO, 430.

45. *LSJ<sup>ρ</sup>*, entry *ῥαφίς*.

46. *LSJ<sup>ρ</sup>*, entry *σάλπη*. GEORGACAS, Turkish common names, 132.

47. *LSJ<sup>ρ</sup>*, entry *σινόδων*.

48. *LSJ<sup>ρ</sup>*, entry *σκόμβρος*. DÉVEDJIAN, 23-43. GEORGACAS, Turkish common names, 132. KOKOSZKO, 430.

49. *LSJ<sup>ρ</sup>*, entry *σκορδύλη*.

50. *LSJ<sup>ρ</sup>*, entry *σκόρπαινα*.

*Nutriendi Methodo*, 409. *Hiérophili Traités Alimentaires*, 462. *Anonymi Mensium Natura*, 429)<sup>51</sup>.

Σκύλαξ ἢ Κύων. SN: *Skyliorhinus Canicula* (*HesLex*, entry κύων. *Achmetis Onirocriticon*, 139.10. *Phile De Animalibus*, 1636-1637. *Opsarologos*, 252. Anonymous, Toῦ Θεολογάκη, 358)<sup>52</sup>.

Τούρπαινα: SN: *Dipturus Oxyrinchus* (*Alexander von Tralles*, 2.575. *Paulus Aeginetes, Ιατρικὰ βιβλία*, ed. J. L. HEIBERG, *Paulus Aegineta* (CMG 9), Leipzig - Berlin 1921-1924, 7.53. *Geponica*, 20.7. *Opsarologos*, 252)<sup>53</sup>.

Τράχουρος. SN: *Trachurus Trachurus* (*HesLex*, entry σκιθακός. *Oribasii Collectionum*, 2.52, 58. *Geponica*, 20.6, 7, 40. *Opsarologos*, 253. Anonymous, Toῦ Θεολογάκη, 358. See and *Aelian on the characteristics of animals*, 9.2)<sup>54</sup>.

Τρίγλη: SN: *Mullus Murruletus* (*HesLex*, entry τρίγλη. *SudLex*, entry τριγλίς. *Oribasii Collectionum*, 2.48, 52, 58. *Alexander von Tralles*, 2.403, 407. *Geponica*, 20.19. *Simeonis Sethi Syntagma*, 106-107. *Excerptorum Constantini de natura animalium*, 1.40. *Hiérophili De Nutriendi Methodo*, 409. *Hiérophili Traités Alimentaires*, 462. *Theodori Prodromi Mensium Adornatio*, 420. *Anonymi Mensium Natura*, 429. *Phile De Animalibus*, 1949-1952, where the physiology and feeding habits of the red mullet are described: Τρίγλη δὲ νηκτὸν ἔστι καὶ λίχνον φύσει. / Καὶ γὰρ φιληδεῖ τοῖς κακόδομοις ἐκτόπως / καὶ τοῖς δύνταροις ἐντρυφᾶ θνησειδίοις)<sup>55</sup>.

Τριχαῖος. SN: *Squalius Cephalus* (*Opsarologos*, 252).

Φάγκος. SN: *Pagrus Pagrus* (*HesLex*, entry κάπρος, φάγωρος. *Oribasii Collectionum*, 2.58, 61, 62, where the species living in the sea is distinguished between the species living in the rivers. *Geponica*, 20.7, 32. *Simeonis Sethi Syntagma*, 118. *Hiérophili De Nutriendi Methodo*, 412.

51. LSJ<sup>9</sup>, entry σκορπίος. GEORGACAS, Turkish common names, 129. KISLINGER, *Gastgewerbe und Beherbergung*, 85.

52. LSJ<sup>9</sup>, entry κύων. KISLINGER, *Gastgewerbe und Beherbergung*, 88. KOKOSZKO, 430.

53. LSJ<sup>9</sup>, entry τούρπαινα. KARPOZELOS, Realia in Byzantine Epistolography X-XIIc, 23. KOKOSZKO, 430.

54. LSJ<sup>9</sup>, entries σαῦρος, σκιθακός, τράχουρος. GEORGACAS, Turkish common names, 132.

55. LSJ<sup>9</sup>, entry τρίγλη. KISLINGER, *Gastgewerbe und Beherbergung*, 77, note 363.

*Hiérophili Traités Alimentaires*, 460, 462. *Anonymi Mensium Natura*, 426, 427, 429. Anonymous, Τοῦ Θεολογάκη, 358)<sup>56</sup>.

Φιλομήλα: SN: *Upeneus Moluccensis* (*SudLex*, entry φιλόμηλος. *Simeonis Sethi Syntagma*, 118. *Ptochoprodromos*, IV, 177. *Opsarologos*, 252)<sup>57</sup>.

### Σκληρόσαρκοι πλατεῖς

Ἀνθίας: SN: *Anthias Anthias* (*SudLex*, entry ἀνθίας. *Phile De Animalibus*, 1621-1622)<sup>58</sup>.

Βάτος or βατίς: SN: *Dipturus Batis* (*HesLex*, entries βατίδες, βάτος / βατίς. *SudLex*, entry βατίς. *Oribasii Collectionum*, 2.56. *Alexander von Tralles*, 1.361, 2.99. *Michaelis Pselli De Medicina*, 228. *Hiérophili De Nutriendi Methodo*, 411. *Opsarologos*, 252. *Georgios Pachymeres*, 46.12.)<sup>59</sup>.

Ἐλλοψ: SN: *Chelon Labrosus* (*HesLex*, entry ἔλλοπες. *SudLex*, *ZonLex*, entry ἔλλοπεύειν. *Oribasii Collectionum*, 2.58)<sup>60</sup>.

Κάλλιχθυς: SN: *Callionymus Risso* (*Geponica*, 20.7)<sup>61</sup>.

Κίθαρος or κιθαρογός: SN: *Rhinobatos Rhinobatos* (*HesLex*, *SudLex*, entry κιθαρός. *Oribasii Collectionum*, 2.58. *Ptochoprodromos*, IV, 186)<sup>62</sup>.

Κορακίνος: SN: *Serranus Hepatus* (*HesLex*, entries κορακεύς, κορακίας, κόραξ. *SudLex*, entry κορακίνος. *Oribasii Collectionum*, 2.58, 62. *Geponica*, 20.7, 9, 25)<sup>63</sup>.

Λύχνος: SN: *Uranoscopus Scaber* (*HesLex*, entry λύχνος. *Opsarologos*, 253)<sup>64</sup>.

56. LSJ<sup>9</sup>, entry φάγρος. GEORGACAS, Turkish common names, 133. KISLINGER, *Gastgewerbe und Beherbergung*, 87.

57. DimLex, entry φιλομήλα.

58. LSJ<sup>9</sup>, entry ἀνθίας. KORAIS, Ξενοκράτης - Γαληνός, 68-69. GEORGACAS, *Ichthyological Terms*, 119-121.

59. LSJ<sup>9</sup>. TrappLex, entry βάτος. KriarasLex, v. 4 (1975), entry βάτος. GEORGACAS, Turkish common names, 127. KISLINGER, *Gastgewerbe und Beherbergung*, 77.

60. LSJ<sup>9</sup>, entries ἔλλοψ, ἔλοψ.

61. LSJ<sup>9</sup>, entry κάλλιχθυς.

62. LSJ<sup>9</sup>, entry κίθαρος. TrappLex, entry κιθαρογός. KriarasLex, v. 8 (1982), entry κιθαρογός. KISLINGER, *Gastgewerbe und Beherbergung*, 77.

63. LSJ<sup>9</sup>, entry κορακίνος. KOKOSZKO, 430.

64. LSJ<sup>9</sup>, entry λυχνίσκος. KriarasLex, v. 9 (1985), entry λύχνος. GEORGACAS, Turkish common names, 130.

*Οὐρανοσκόπος* or *καλλιώνυμος*. SN: *Callionymus Lyra* / *Uranoscopus Scaber*. The fish obtained the names *οὐρανοσκόπος* and *λύχνος* (see note 64) because its body emits faint blue light in the bottom of the sea. (*HesLex*, entries *καλλιώνυμος*, *οὐρανοσκόπος*. *Oribasii Collectionum*, 2.58)<sup>65</sup>.

*Πέρωη*. SN: *Perca Fluvialis* / *Serranus Scriba*. A fish species living in the rivers and the sea. (*Oribasii Collectionum*, 2.49, 58, where the quality of relative species is evaluated according to the place of origin: *Νειλαῖος κορακῖνος*, *καὶ ἐν Ρήνῳ πέρωη*, *καὶ ἐν Τίβερι λάβραξ*)<sup>66</sup>.

*Πίνα*: The name of the fish refers to several SN of the species *Raja*, *Leukoraja*, *Dipturus* and *Squatina* followed by the name of many subspecies (e.g. *Raja Asterias*, *Leukoraja Fullonica*, *Dipturus Oxyrinchus*, *Squatina Oculata*). (*HesLex*, entry *ὅινόβατος*. *SudLex*, entry *ὅίνη*. *ZonLex*, entry *ὅινός*. *Excerptorum Constantini de natura animalium*, 1.41. *Opsarologos*, 252)<sup>67</sup>.

*Ρόμβος*. SN: *Dicologlossa Cuneata* (*HesLex*, entry *ὅρμβος*. *Oribasii Collectionum*, 2.58. *Opsarologos*, 252. See and Athenaeus of Naucrates, *Δειπνοσοφισταί*, ed. G. KAIBEL, *Athenaei Naucratitae Dipnosophistarum libri XV*, Leipzig 1887-1890 (repr. Stuttgart 1985), II, 330: *Ῥωμαῖοι δὲ καλοῦσιν τὴν ψῆτταν ὅρμβον, καὶ ἔστι τὸ ὄνομα Ἑλληνικόν, Ναυσικάτης δὲ ἐν Ναυκλήροις*)<sup>68</sup>.

*Συάκιον*. SN: *Psetta Maxima* (*HesLex*, entry *σύαρτον*. *SudLex*, entry *συάκιον*. *Simeonis Sethi Syntagma*, 100, where the nutritional value of this fish is compared with that of the chicken meat: *Τὸ συάκιον οὐ κακόχυμον ἔστι καὶ μάλιστα δτε πεφθῇ τρέφει γὰρ ἴκανῶς. ὥφελει δὲ μάλιστα τοὺς τὴν κρᾶσιν θερμούς, καὶ ἔοικεν ἡ τούτου σάρξ τῇ τῶν ἀλεκτορίδων. Ptochoprodromos*, IV, 184. *Opsarologos*, 252. *Hiérophilī De Nutriendi Methodo*, 412. *Hiérophilī Traités Alimentaires*, 460. *Anonymi Mensium Natura*, 427. *Nicetae Choniatae Historia*, 56.46-49)<sup>69</sup>.

65. LSJ<sup>9</sup>, entries *καλλιώνυμος*, *οὐρανοσκόπος*. KORAIS, *Ξενοκράτης - Γαληνός*, 68-69.

66. LSJ<sup>9</sup>, entries *πέρωη*, *πέρωα*. GEORGACAS, Turkish common names, 131.

67. LSJ<sup>9</sup>, entry *ὅίνη*. GEORGACAS, Turkish common names, 132.

68. LSJ<sup>9</sup>, entry *ὅρμβος*. KISLINGER, *Gastgewerbe und Beherbergung*, 88.

69. LSJ<sup>9</sup>, entries *συάκιον*, *σύαξ*. GEORGACAS, Turkish common names, 132. KISLINGER, *Gastgewerbe und Beherbergung*, 93.

*Ψῆττα*: SN: *Solea Solea / Arnoglossus Thori* (*HesLex. SudLex*, entry *ψῆττα*. *ZonLex*, entries *ψῆνες*, *ψῆττα / ψῆσσα*, *ψησίον*. *Oribasii Collectionum*, 2.58, 3.2. *Alexander von Tralles*, 1.543, 2.61, 403. *Simeonis Sethi Syntagma*, 123. *Ptochoprodromos*, IV, 106)<sup>70</sup>.

### Ἄπαλόσσαρχοι

*Ἄθερίνα*: SN: *Atherina Hepsetus* (*Ptochoprodromos*, IV, 185. Anonymous, *Παιδιόφραστος Διήγησις τῶν ζώων τῶν τετραπόδων*, ed. V. Tsiouni, München 1972. English Translation and Commentary, N. Nicholas – G. Baloglou, *An Entertaining Tale of Quadrupeds*, New York 2003, 628-630, where the use of the ox's tail as bait for the fishing of sand smelts is mentioned: Ἄκομη καὶ τὸ εὔτελές, τὸ ἄκρον τῆς οὐρᾶς μου, / χρῶνται αὐτὸν οἱ ἀλιεῖς εἰς ἄγρας τῶν ἰχθύων, / τὰς λέγουσιν ἀθερίνας, τὰς μικροτάτας πάνυ. *Geponica*, 20. 46, where it is mentioned that the offal of ἀθερίνα is more appropriate for the preparation of brine in comparison with that of the other small fish: Τὸ καλούμενον λικουνάμεν οὕτω γίνεται. τὰ ἔγκατα τῶν ἰχθύων βάλλεται εἰς σκεῦος, καὶ ἀλίζεται καὶ λεπτὰ ὁψαρίδια, μάλιστα δὲ ἀθερίναι. *Hiérophili De Nutriendi Methodo*, 409. *Opsarologos*, 252)<sup>71</sup>.

*Ἀνίς*: SN: *Argyrosomus Regius* (*Geponica*, 20.7).

*Ἀντακόσχηλος*: SN: *Pomatoschistus Canestrinii* (*HesLex*, entry *ἀντακαῖοι*. *Opsarologos*, 253, where the correction by Krumbacher (ed. cit. n. 9) from *ἀντακόσχηλος* to *ἀντακόσκυλος* must be valid)<sup>72</sup>.

*Ἀφύη*: SN: *Sardina Pilchardus* (*HesLex. SudLex*, entry *ἀφύα*. *Oribasii Collectionum*, 2.58. *Phile De Animalibus*, 1944-1948)<sup>73</sup>.

*Ἀχάρνης*: SN: *Serranus Cabrilla* (*HesLex*, entry *ἀχάρνα*. *Oribasii Collectionum*, 2.58. *Hiérophili De Nutriendi Methodo*, 412. *Hiérophili Traités Alimentaires*, 460, 462. *Anonymi Mensium Natura*, 427, 429)<sup>74</sup>.

70. LSJ<sup>9</sup>, entry *ψῆττα*. See and KORAIS, *Ξενοκράτης - Γαληνός*, 48.

71. LSJ<sup>9</sup>, entry *ἀθερίνος*. *KriarasLex*, v. 1 (1968), entry *ἀθερίνα*. GEORGACAS, Turkish common names, 127. KISLINGER, *Gastgewerbe und Beherbergung*, 76-77, 91.

72. *KriarasLex*, v. 2 (1971), entry *ἀντακόσκυλος*.

73. LSJ<sup>9</sup>, entry *ἀφύη*. GEORGACAS, Turkish common names, 136. GEORGACAS, *Ichthyological Terms*, 111-112, 275. KOKOSZKO, 430.

74. LSJ<sup>9</sup>, entry *ἀχαρνάς*. KISLINGER, *Gastgewerbe und Beherbergung*, 88.

*Βῶκος*. SN: *Boops Boops* (*HesLex*, entry *βῶκα. Oribasii Collectionum*, 2.58. *Geponica*, 20.7)<sup>75</sup>.

*Γαλαξίας*. SN: *Mustelus Mustelus* (*HesLex*, entry *γαλαρίας. Oribasii Collectionum*, 2.62, where the higher quality of this fish is pointed out, compared to the other species of topes: *Kαὶ οἱ γαλεώνυμοι δὲ ὄμοιῶς σκληρὰν ἔχουσι τὴν σάρκα, πλὴν τοῦ παρὰ Ρωμαίοις καλούμενου γαλαξίου ἐνδοξοτάτου καὶ ἀπαλοῦ τυγχάνοντος ἔστι γὰρ καὶ οὗτος τοῦ τῶν γαλεῶν γένους*)<sup>76</sup>.

*Γλαῦκος* or *γλάνις*. SN: *Pteroplatytrygon Violacea* (*HesLex*, entries *τρυγών, γλάνις. SudLex*, entry *γλάνις. ZonLex*, entry *γλάνις. Oribasii Collectionum*, 2.58. *Alexander von Tralles*, 1.543, 2.403, 455. *Geponica*, 20.7. *Michaelis Pselli, De Medicina*, 230. *Ptochoprodromos*, IV, 209. *Phile De Animalibus*, 1630-1635. *Opsarologos*, 252)<sup>77</sup>.

*Γόγγρος*. SN: *Anguilla Anguilla* (*HesLex*, entry *γόγγρος. ZonLex*, entries *γόγγρος, πωπαῖς, ἔγχελυς. Oribasii Collectionum*, 2.58. *Basilius von Caesarea, Homilien zum Hexaemeron*, 398. *Georgios of Pisidia, Esamerone*, 1020. *Alexander von Tralles*, 2.249. *Geponica*, 20.7, where it is also mentioned as *ἴλλος. Opsarologos*, 253)<sup>78</sup>.

*Ἐγγραυλίς* or *λυκόστομος*. SN: *Pomatoschistus Microps* (*HesLex*, entry *λύκος. SudLex*, entry *λυκόστομος / κρασίχολος. Geponica*, 20.7, where its use as raw material for the preparation of brine is recommended. *Ptochoprodromos*, IV, 105: *ἐγγραυλοπαστοφάγος. Opsarologos*, 252. See and *Oppianos Halieutica*, 4.470. *Aelian on the characteristics of animals*, 8.18, where it is also mentioned as *ἐγκρασίχολος* and *λυκόστομος. Ἐγγραύλεις, οἵ δὲ ἐγκρασιχόλους καλοῦσιν αὐτάς, προσακήκοά γε μὴν καὶ τρίτον ὅνομα αὐτῶν, εἰσὶ γὰρ οἵ καὶ λυκόστόμους αὐτὰς ὄνομάζουσιν*)<sup>79</sup>.

75. LSJ<sup>9</sup>, entries *βῶκος, βοῦκος, βουκαῖος. TrappLex*, entry *βῶψ. GEORGACAS*, Turkish common names, 128.

76. LSJ<sup>9</sup>, entry *γαλαξίας*.

77. LSJ<sup>9</sup>, entry *γλαῦκος. KriarasLex*, v. 4 (1975), entry *γλανέος. GEORGACAS*, Turkish common names, 129. KISLINGER, *Gastgewerbe und Beherbergung*, 76, 78.

78. LSJ<sup>9</sup>, entry *γόγγρος*.

79. LSJ<sup>9</sup>, entries *ἐγγραυλίς, λυκόστομος. TrappLex*, entry *ἐγγραῦλα, ἐγγραυλος. KriarasLex*, v. 5 (1977), entry *ἐγγραυλη / ἐγγραυλίς. KISLINGER, Gastgewerbe und Beherbergung*, 91.

*Ζαργάνα*: SN: *Belone Belone* (*Opsarologos*, 252)<sup>80</sup>.

*Κάνθαρος*: SN: *Spondylisoma Cantharus* (*HesLex*, entry *κάνθαρος*. *Oribasii Collectionum*, 2.58. *Alexander von Tralles*, 1.437)<sup>81</sup>.

*Κίχλα*: SN: *Syphodus Rostratus* (*HesLex*, entry *κίχλη*. *Oribasii Collectionum*, 2.49, 58, 3.2. *Alexander von Tralles*, 1.483, 2.219, 403. *Hiérophili Traités Alimentaires*, 463, 465. *Anonymi Mensium Natura*, 424)<sup>82</sup>.

*Κόσσουφος*: SN: *Syphodus Tinca* (*Oribasii Collectionum*, 2.49, 58. *Alexander von Tralles*, 1.543, 2.407. *Phile De Animalibus*, 1747-1760)<sup>83</sup>.

*Κουτσουρίνα*: SN: *Carassius Carassius* (*Opsarologos*, 252)<sup>84</sup>.

*Κωβιός*: SN: *Cobius Cobitis / Cobius Aurata / Cobius Flavescens*. A fish species living near rocky areas in the bottom of the sea, but also in lakes and rivers. (*HesLex*, entry *κωβίτης*. *SudLex*, entry *κωβιός*. *Oribasii Collectionum*, 2.50. Georgios of Pisidia, *Esamerone*, 402, 1513. *Geponica*, 20.1, 7. *Simeonis Sethi Syntagma*, 59-60. *Hiérophili De Nutriendi Methodo*, 410. *Hiérophili Traités Alimentaires*, 458, 462, 465. *Anonymi Mensium Natura*, 424, 429)<sup>85</sup>.

*Λαγώς*: SN: *Coryphaena Equiselis*. A poisonous fish not recommended for fishing and a risk to human consumption (*HesLex*, entry *λαγώς*. *Oribasii Collectionum*, 2.58)<sup>86</sup>.

*Λαπίνα*: SN: *Syphodus Melops* (*Hiérophili De Nutriendi Methodo*, 410, 412. *Hiérophili Traités Alimentaires*, 458, 460, 462. *Anonymi Mensium Natura*, 427, 429)<sup>87</sup>.

80. *TrappLex*, entry *ζαργάνη*. *KriarasLex*, v. 7 (1980), entry *ζαργάνα*. GEORGACAS, Turkish common names, 128.

81. *LSJ<sup>9</sup>*, entry *κάνθαρος*. GEORGACAS, Turkish common names, 132.

82. *LSJ<sup>9</sup>*, entry *κίχλη*. GEORGACAS, Turkish common names, 128. KISLINGER, *Gastgewerbe und Beherbergung*, 79.

83. *LSJ<sup>9</sup>*, entry *κόσσουφος*.

84. *TrappLex*, entry *κουτζουρίνα*. *KriarasLex*, v. 8 (1982), entry *κουτσουρίνα*.

85. *LSJ<sup>9</sup>*, entry *κωβιός*. *TrappLex*, entry *γονβίος*, *κωβιάδης*. *KriarasLex*, v. 9 (1985), entry *κωβιδί(ο)ν*. GEORGACAS, Turkish common names, 129. KISLINGER, *Gastgewerbe und Beherbergung*, 82.

86. *LSJ<sup>9</sup>*, entry *λαγωός*.

87. GEORGACAS, Turkish common names, 129. KISLINGER, *Gastgewerbe und Beherbergung*, 81.

*Μαινίς*. SN: *Spicara Maena* (*Alexander von Tralles*, 12.8. *Geponica*, 20.7, where its use as raw material for the preparation of brine is recommended. Anonymous, *Toū Θεολογάκη*, 358)<sup>88</sup>.

*Μορμύρος*. SN: *Lithognathus Mormyrus* (*HesLex*, entry *μορμύρος*. *Geponica*, 20.7. *Ptochoprodromos*, IV, 206)<sup>89</sup>.

*Μύραινα*: SN: *Muraenesox Cinereus* (*HesLex*, entries *μύραινος*, *συῦρος*. *SudLex*. *ZonLex*, entries *μύραινα*, *συῦραινα*. *Geponica*, 20.7. *Phile De Animalibus*, 1817-1822)<sup>90</sup>.

*Σάργος*. SN: *Diplodus Sargus Sargus* (*Oribasii Collectionum*, 2.58. *Hiérophili Traités Alimentaires*, 456. *Phile De Animalibus*, 1771-1777)<sup>91</sup>.

*Σκάρος*. SN: *Sparisoma Cretense* (*Oribasii Collectionum*, 2.49, 58. Georgios of Pisidia, *Esamerone*, 402, 1510-1512. *Alexander von Tralles*, 1.543, 2.403. *Geponica*, 20.7, 19, 30. *Hiérophili De Nutriendi Methodo*, 410. *Hiérophili Traités Alimentaires*, 458. *Anonymi Mensium Adornatio*, 425, 427, 429. *Georgios Pachymeres*, 26.8-9. *Phile De Animalibus*, 1610-1622, where the reaction of parrotfishes when they are going to be caught during fishing is described: *Τις ἀγεληδὸν συμπεσόντας τοὺς σκάρους / εἰς πλεκτὸν ἀμφίβληστρον ἐξ οἴστρου βλέπων, / ὅταν ἵδωσι θῆλυν ἀλόντα σκάρον, / ἐξὸν παρελθεῖν ὁρμιᾶς μιᾶς δόλον, / οὐχ εὖρε τοῦ ζῆν ἐγκρατῶς διδασκάλους, / ἥδης ἔρως ὃν ἐκπυρεῖ τὴν καρδίαν / εἰς τὰς ἐν ἀκμῇ φλεγμονὰς τοῦ σαρκίου; / Τὸ σύννομον πλήν, ἀν ἄλοις ἵσως λάθοι, / παρακρατοῦσιν εἰσρεντες ἀθρόοι· / καὶ πολλάκις ἀφῆκαν αὐτοὶ τὸν φίλον, / ὁδοῦσι πυκνοῖς ἐκτραγόντες τὸν βρόχον, / καθάπερ αὐτοὺς ἰστορεῖ τὸν ἀνθίας / ἀνήρ τις ἵδων τὰς νομὰς τῶν ἰχθύων*)<sup>92</sup>.

88. *LSJ<sup>9</sup>*, entries *μαίνη*, *μαινίς*. KORAIS, *Ξενοκράτης - Γαληνός*, 84. KISLINGER, *Gastgewerbe und Beherbergung*, 82.

89. *LSJ<sup>9</sup>*, entry *μορμύρος*. GEORGACAS, Turkish common names, 130. GEORGACAS, *Ichthyological Terms*, 139-142.

90. *LSJ<sup>9</sup>*, entry *μύραινα*. GEORGACAS, Turkish common names, 131, 133. GEORGACAS, *Ichthyological Terms*, 134-139. KISLINGER, *Gastgewerbe und Beherbergung*, 78. KOKOSZKO, 430.

91. *LSJ<sup>9</sup>*, entry *σάργος*.

92. *LSJ<sup>9</sup>*, entry *σκάρος*. GEORGACAS, Turkish common names, 132. KISLINGER, *Gastgewerbe und Beherbergung*, 84. KARPOZELOS, *Realia in Byzantine Epistolography X-XIc*, 24.

**Σμαρίδα** or **όσμαρίδα**: SN: *Spicara Smaris* (*HesLex*, entry *σμαρίδες*. *Geponica*, 20.7, 35. *Opsarologos*, 253. *Hiérophili De Nutriendi Methodo*, 411)<sup>93</sup>.

**Σμύλη**: SN: *Alepisaurus Ferox* (*Alexander von Tralles*, 2.525. *Geponica*, 20.7. *Hiérophili De Nutriendi Methodo*, 412. *Hiérophili Traités Alimentaires*, 460. *Anonymi Mensium Natura*, 427)<sup>94</sup>.

**Σπάρος**: SN: *Diplodus Annularis* (*Oribasii Collectionum*, 2.58. *Hiérophili Traités Alimentaires*, 458, 462. *Anonymi Mensium Natura*, 429)<sup>95</sup>.

**Στρωματέύς**: SN: *Syphodus Rostratus* (*HesLex*, entry *στρωματέύς*. *Hiérophili De Nutriendi Methodo*, 410. *Hiérophili Traités Alimentaires*, 458)<sup>96</sup>.

**Φυκίς**: SN: *Trisopterus Minutus*. The name of the species originates from the seaweeds, where these fishes live and feed themselves. (*SudLex*, entry *φυκία*. *Oribasii Collectionum*, 2.49, 58, 3.2. See and *Aristote, Histoire des animaux*, 591b 13, 607b 18, ed. LOUIS, v. 3, 1969, 12, 62)<sup>97</sup>.

**Χαλκεὺς** or **χαλκίς**: SN: *Herklotischthys Punctatus* (*Geponica*, 20.7. See and *Oppianus Halieutica*, 1.133)<sup>98</sup>.

**Χάραξ**: SN: *Diplodus Sargus Sargus* (*Geponica*, 20.7)<sup>99</sup>.

**Χελιδών**: SN: *Hirundichthys Rondeletii / Chelidonichthys Lucernus*. (*HesLex*, entry *χελεάρ*. *SudLex*, entry *χελιδόνας*. *Oribasii Collectionum*, 2.58)<sup>100</sup>.

**Χοῖρος**: SN: *Balistes Capriscus* (*HesLex*, entry *χοιρῖναι*. *Geponica*, 20.7)<sup>101</sup>.

93. LSJ<sup>9</sup>, entry *μαρίς*. GEORGACAS, Turkish common names, 133. KISLINGER, *Gastgewerbe und Beherbergung*, 85.

94. LSJ<sup>9</sup>, entry *σμύλη*.

95. LSJ<sup>9</sup>, entry *σπάρος*. GEORGACAS, Turkish common names, 133. KISLINGER, *Gastgewerbe und Beherbergung*, 85.

96. LSJ<sup>9</sup>, entry *στρωματέύς*.

97. LSJ<sup>9</sup>, entries *φυκίς*, *φύκη*. GEORGACAS, Turkish common names, 142.

98. LSJ<sup>9</sup>, entries *χαλκεὺς*, *χαλκίς*.

99. LSJ<sup>9</sup>, entry *χάραξ*.

100. LSJ<sup>9</sup>, entry *χελιδών*.

101. LSJ<sup>9</sup>, entry *χοῖρος*. GEORGACAS, Turkish common names, 135. KARPOZELOS, *Realia in Byzantine Epistolography X-XIIC*, 24. H. M. HASSAN, 'Ο χοῖρος στὴν ἀραβικὴ γραμματεία, *ΕΕΦΣΠΑ* 39 (2008) 513-553 (542).

*Χρύσοφρυς*: SN: *Sparus Aurata*. The name of the fish originates from the gold arrow around the eyes. (*Oribasii Collectionum*, 2.58. *Geponica*, 20.7. *Hiérophili De Nutriendi Methodo*, 412. *Hiérophili Traités Alimentaires*, 460, 462. *Anonymi Mensium Natura*, 427, 429)<sup>102</sup>.

### Μέσοι

*Άλεανδρις*: SN: *Alectis Alexandrinus* (*Geponica*, 20.7).

*Βάκχος*: SN: *Gaidropsarus Biscayensis* (*HesLex*, entry *βάκχος*)<sup>103</sup>.

*Θρίσσα*: SN: *Sardinella Aurita* (*HesLex*, entry *θρυμίς*. *SudLex*, entries *θρίσσα*, *τριχίδες*. *Oribasii Collectionum*, 2.58. *Geponica*, 20.7)<sup>104</sup>.

*Λαβρακότουρνα*: SN: *Dicentrarchus Punctatus* (*Opsarologos*, 252)<sup>105</sup>.

*Λάβραξ*: SN: *Dicentrarchus Labrax* (*SudLex*, entry *λάβραξ* (...) τὴν δὲ προσηγορίαν πεποίηται, διότι κέχηνεν αὐτοῦ τὸ στόμα, καὶ ἀθρόως καὶ λάβρως τὸ δέλεαρ καταπίνει ὅθεν καὶ εὐχερῶς ἄλισκεται. Alexander von Tralles, 2.403. *Ptochoprodromos*, IV, 92, 188. *Excerptorum Constantini de natura animalium*, 1.40. *Hiérophili De Nutriendi Methodo*, 410, 411. *Hiérophili Traités Alimentaires*, 460, 462. *Anonymi Mensium Natura*, 426, 427, 429. *Phile De Animalibus*, 1813-1816. *Opsarologos*, 252. *Nicetae Choniatae Historia*, 56.46-49. Anonymous, Τοῦ Θεολογάκη, 358)<sup>106</sup>.

*Λάτιλος*: SN: *Latus Latus* (*Geponica*, 20.7)<sup>107</sup>.

*Ὄνισκος*: SN: *Gaidropsarus Mediterraneus* (*HesLex*, entry *ὄνος*. *Oribasii Collectionum*, 2.58)<sup>108</sup>.

*Περσεύς*: It was not possible to identify the name of this fish and the current scientific or common Greek name. Probably it is met in the Persian

102. LSJ<sup>9</sup>, entry *χρύσοφρυς*. KORAIS, Ξενοκράτης - Γαληνός, 106.

103. LSJ<sup>9</sup>, entry *βάκχος*.

104. LSJ<sup>9</sup>, entry *θρίσσα* / *θρύττα*. GEORGACAS, Turkish common names, 128, 133. KOKOSZKO, 430.

105. LSJ<sup>9</sup>, entries *κόθινρος*, *κοθώ*, *κότορνος*. KriarasLex, v. 9 (1985), entry *λαβρακότουρνα*.

106. LSJ<sup>9</sup>, entry *λάβραξ*. TrappLex, entry *λαβράκιον*. KriarasLex, v. 9 (1985), entry *λαβράκιον*. KISLINGER, *Gastgewerbe und Beherbergung*, 77, note 363.

107. LSJ<sup>9</sup>, entry *λάτος*. TrappLex, entry *λάτιλος*.

108. TrappLex. LSJ<sup>9</sup>, entry *Ὄνισκος*. KOKOSZKO, 430.

Gulf. (*HesLex*, entry *πέρσος*. *Phile De Animalibus*, 1866-1872. See also *Aelian on the characteristics of animals*, 3.28).

Σάκουτος SN: *Syngnathus acus* (*Geponica*, 20.7)<sup>109</sup>.

Σκιαδεύς SN: *Umbrina Cirrosa* (*HesLex*, entry *σκιαδεύς*. *Oribasii Collectionum*, 2.58)<sup>110</sup>.

Συνναγρίς SN: *Dentex Dentex* (*HesLex*, entry *συνναγρίδα*. *Oribasii Collectionum*, 2.47. *Ptochoprodromos*, IV, 92, 179. *Opsarologos*, 252. Anonymous, Τοῦ Θεολογάκη, 358)<sup>111</sup>.

Ύσκα: SN: *Echelus Myrus* (*ZonLex*, entry *ύσκα*. *Simeonis Sethi Syntagma*, 111, where the nutritional value of this fish is compared to that of the pork and human meat: Ἰχθὺς δὲ κοινῶς ὕσκα ὀνομαζόμενος φλεγματικὸν ἀπογεννᾶ χυμόν, οὐ κακόχυμος δέ ἐστι, διὰ τὸ ἡδέως σχεδὸν ἀπαντας τοῦτον προσφέρεσθαι ως οἰκειότητά τινα ἔχοντος τῆς σαρκὸς αὐτοῦ πρὸς τὴν ἥμετέραν φύσιν. οἷμαι δὲ ὅτι ἀπὸ τούτου μετείληπται τοῦνομα ἀπὸ τοῦ ὕσκα, δημιουργεῖται τὸν χοῖρον, ὅτι τοιαύτην τροφὴν ἐμποιεῖ τῷ σώματι τῷ ἥμετέρῳ παρὰ τῷ τῶν ἵχθυών γένει, οἷαν τὸ χοίρειον κρέας παρὰ τοῖς χερσαίοις, οὐχ διμοίαν μέντοι ἀλλ' ἀνάλογον. δεῖ δὲ τοῦτον ἀρτίειν θερμοτάτοις ἀρτύμασι καὶ οἶνον ἐποπίνειν λεπτότατον καὶ παλαιότερον. *Ptochoprodromos*, IV, 106. Christophoros Mytilenaeos, <Στίχοι διάφοροι>, ed. E. Kurtz, *Die Gedichte des Christophoros Mitylenaios*, Leipzig 1903, 91: Εἰς τὸν μοναχὸν τοῦ Προέδρου διὰ τὰς ὕσκας. *Opsarologos*, 252. See and *Oppianus Halieutica*, 1.453)<sup>112</sup>.

### Κητώδεις

SN: *Setus*. These species are recommended for the preparation of salted fishes. (*SudLex*, entry *κῆτος*. θαλάσσιον θηρίον πολυειδές. ἔστι γὰρ λέων, ξύγαινα, πάρδαλις, φύσαμος, πρῆστις, ἡ λεγομένη μάλλη,

109. *LSJ<sup>9</sup>*. *DimLex*, entry *σάκουτος*.

110. *LSJ<sup>9</sup>*, entries *σκιαδεύς*, *σκίαινα*, *σκιαδίς*. GEORGACAS, Turkish common names, 129, 131.

111. *LSJ<sup>9</sup>*, entry *συνναγρίς*. GEORGACAS, Turkish common names, 133. KISLINGER, *Gastgewerbe und Beherbergung*, 73, 85, 86.

112. *LSJ<sup>9</sup>*, entry *βύσσα*. KISLINGER, *Gastgewerbe und Beherbergung*, 87. KARPOZELOS, *Realia in Byzantine Epistolography X-XIIc*, 24.

δ καὶ δυσανταγώνιστόν ἔστι· καὶ κριός, ἵδεῖν ἐχθρὸν ζῷον. *Oribasii Collectionum*, 2.58. *Alexander von Tralles*, 2.305)<sup>113</sup>.

**Δελφίς.** SN: *Delphinus Delphis* (*HesLex*, entry δελφῖνες. *Oribasii Collectionum*, 2.57. *Michaelis Pselli De Medicina*, 231)<sup>114</sup>.

**Ναυκράτης** or **ἐχενηής**. SN: *Echeneis Naucrates*. The mythical tradition of drawing the ships is attributed to this fish that may also explain both of its names, **ἐχενηής** and **ναυκράτης**, practically meaning the same and combined in the SN. (*HesLex*, entry ἐχενηής. *SudLex*, entry ἐχενηής. ...) εἴληφε δὲ τὸ ὄνομα ἀπὸ τοῦ ἔχεσθαι τῶν θεουσῶν νηῶν δ καὶ ναυκράτης καλεῖται. Georgios of Pisidia, *Esamerone*, 370.999-1010: Καὶ τίς τὸν ἰχθὺν τὸν βραχὺν τὸν ναυκράτην / ποιεῖ τρεχουσῶν ὀλκάδων ἀντιστάτην, / καὶ πλωτὸν εὐόλισθον ἀνταίρει στόλον / καὶ ταῖς πνεούσαις ἀντιτάτεται βίαις; / Πτέρονξ γὰρ αὐτὸν πρὸς τὰ τοῦ στέρων μέσα / κυκλοὶ περιπτύξασα κυμβάλου δίκην, / ἦν ταῖς θεούσαις ἀντερείδων ὀλκάσιν / ἴστα τὸ πνεῦμα καὶ τὸ ϕεῦμα, κἄν τρέχῃ, / καὶ κυρτὸν ἀφρὸν ἀντεπικλᾶ τῷ σάλῳ. See and *Phile De Animalibus*, 1953-1965: Περὶ ναυκράτου. Ἐστί τις ἰχθὺς εὐτελῆς μὲν εἰς βλέποις· εἰ δὲ κρίνοις, κράτιστος· εἰ δὲ λαμβάνοις, / νεκρὸς Γαληνὸς εἰς γονὰς ἀποστρόφους. / Τὸν μὲν γὰρ εὐάγωγον ἐξ αὔρας δρόμον / εἴργει προελθεῖν ἐνδακὼν τὴν ὀλκάδα· / καὶ τοὺς τέως ἄδοντας ἐκ θυμηδίας, / στυγνὸν τι πενθεῖν ἐκβιάζει ναυτίλους. / Κἄν μή τις αὐτὸν καταδὺς θᾶττον τέμη, / ὁδοστατηθὲν οὐδὲ δραμεῖται τὸ σκάφος. / Τὰς δὲ πρὸς καιροῦ συγκοπὰς τῶν ἐμβρύων / ἴστησι ληφθεῖς ταῖς κυούσαις εὐθέως. / Τούτον τὸν ἰχθύν, Αὔσονάρχα, ναυκράτην / οἱ ναυτικοὶ καλοῦσιν ἐκ τοῦ πράγματος)<sup>115</sup>.

**Ζύγαινα:** SN: *Sphyraena Zygaena* (*HesLex*. *SudLex*. *ZonLex*, entry ζύγαινα. *Oribasii Collectionum*, 2.57. *Michaelis Pselli De Medicina*, 232. *Phile De Animalibus*, 1521)<sup>116</sup>.

113. LSJ<sup>9</sup>, entry κητώδης, *KriarasLex*, v. 8 (1982). J. T. PRING, The Oxford Dictionary of modern Greek: English-Greek, Oxford 1992 [OEGD], entry cetacean, sea monster. GEORGACAS, Turkish common names, 128. GEORGACAS, Ichthyological Terms, 122.

114. LSJ<sup>9</sup>, entry δελφίς /δελφίν. *KriarasLex*, v. 5 (1977), entry δελφίν. GEORGACAS, Turkish common names, 128.

115. LSJ<sup>9</sup>, entries ἐχενηής, ναυκράτης. GEORGACAS, Turkish common names, 136.

116. LSJ<sup>9</sup>, entry ζύγαινα. GEORGACAS, Turkish common names, 128.

*Ἡλακατήνας.* SN: *Elagatis Bipinnulata*. The name originates from the spiral shape of the body of the fish. (*HesLex*, entry ἡλακατῆνες. *Oribasii Collectionum*, 2.58)<sup>117</sup>.

*Ἴππονδος.* SN: *Coryphaena Hippurus* (*Oribasii Collectionum*, 2.58. Georgios of Pisidia, *Esamerone*, 402, 1506)<sup>118</sup>.

*Κριός.* SN: *Aries* (*Phile De Animalibus*, 1521-1522)<sup>119</sup>.

*Λίβατος.* SN: *Myliobatis Aquila* (*Michaelis Pselli De Medicina*, 228)<sup>120</sup>.

*Πάρδαλις.* SN: *Carcharodon Carcharias* (*Phile De Animalibus*, 1521-1522)<sup>121</sup>.

*Πρηστίς.* SN: *Pristis Pectinata* (*SudLex*, entry πρηστίς. *ZonLex*, entries πρηστίς, πριόνωτος. *Der Physiologus* 112a. *Phile De Animalibus*, 1521)<sup>122</sup>.

*Σίλουνδος.* SN: *Silurus Glanis*. A fish species living in the rivers. (*SudLex*. *ZonLex*, entry σίλουνδος. *Oribasii Collectionum*, 2.58. See and *Aelian on the characteristics of animals*, 14.25, where the large size of the fish is commented)<sup>123</sup>.

*Φάλαινα.* SN: *Megaptera Novaehangliae* (*HesLex*, entry φάλλαινα. *Oribasii Collectionum*, 2.57. *Michaelis Pselli De Medicina*, 230)<sup>124</sup>.

*Φύσαλος.* SN: *Platichthys Flesus* (*SudLex*, entry φύσαμος. *Michaelis Pselli De Medicina*, 231. *Phile De Animalibus*, 1521)<sup>125</sup>.

*Φωκὶς* or φώκαινα or φώκῃ. SN: *Delphinus Phocaena* (*SudLex*, entry φώκη. *HesLex*, entry φώκος. *ZonLex*, entries φώκαινα, φώκῃ. *Basilus von Caesarea, Homilien zum Hexaemeron*, 400. Georgios of Pisidia, *Esamerone*, 402, 1504-1505. *Alexander von Tralles*, 2.579, 581. *Geponica*, 20.7. *Michaelis Pselli De Medicina*, 231. Anonymous, *Toῦ Θεολογάκη*, 358)<sup>126</sup>.

117. *LSJ<sup>ρ</sup>*, entry ἡλακατήνας. *OEGD*, entry *distaff*.

118. *LSJ<sup>ρ</sup>*, entry ἵππονδος.

119. *LSJ<sup>ρ</sup>*, entry κριός.

120. *DimLex*, entry λίβατος.

121. *LSJ<sup>ρ</sup>*, entry πάρδαλις.

122. *LSJ<sup>ρ</sup>*, entries πρηστίς, πριστίς. *TrappLex*, entry πρηστίς.

123. *LSJ<sup>ρ</sup>*, entry σίλουνδος. *Kokoszko*, 430.

124. *LSJ<sup>ρ</sup>*, entries φάλλαινα, φάλλη / φάλαινα, φάλλη.

125. *LSJ<sup>ρ</sup>*, entry φύσαλος. *GEORGACAS*, Turkish common names, 134.

126. *LSJ<sup>ρ</sup>*, entries φώκαινα, φώκῃ.

### Other aquatic species

The aquatic animals, except of fishes, included in the Byzantine medical texts, are categorized according to the same method and criteria, as those described for fishes<sup>127</sup>:

Ὄστρακόδερμα or ὄστρακοειδῆ or ὄστρακα (ἀπαλόσαρκα or μαλακόσαρκα and σκληρόσαρκα): SN: *Ostracodermus* / *Ostraca*. Species enclosed in hard shell. (*Oribasii Collectionum*, 2.53: Κήρυκας καὶ πορφύρας ὄστρεά τε καὶ χῆμας ὅσα τε ἄλλα τοιαῦτα ὄστρακόδερμα

---

127. In order to search the evolution of the names of the various species and to identify the corresponding scientific name the following references were used: J. PLANCUS, *De conchis minus notis liber. Cui accessit specimen aestus reciproci maris superi ad littus portumque Arimini*, Venise 1854. J. E. MORTON, *Molluscs*, London 1958. G. BINI, *Catalogo dei nomi dei pesci, dei molluschi*. G. A. MELVIN, *Sea Shells of the World*, Ratland 1966. The proceedings of a Symposium held at the Zoological Society of London: *Studies in the structure, physiology and ecology of molluscs* (8 and 9 March, London 1968), ed. V. FRETTER, New York 1968. P. S. DANCE, *Rare Shells*, London 1969. F. NORDSIECK, *Die Europäischen Meeressmuscheln (Bivalvia): Vom Eismeer bis Kapverden, Mittelmeer und Schwarzes Meer*, Stuttgart 1969. P. PARENZAN, *Carta d'identità delle conchiglie del Mediterraneo*, Taras 1970. S. ANGELETTI, *Sea shells; how to identify and collect them*, New York 1972. E. A. MALEK – T. C. CHENG, *Medical and Economic Malacology*, New York 1974. B. GRZIMEK, *Animal Life Encyclopedia*, New York 1972-1976. A. P. H. OLIVER, *The Hamlyn Guide to Shells of the world*, London 1975. J. ARRECGROS, *Sea Shells of the British and European coasts*, Yeovil 1975. G. D'ANGELO – S. GARGIULLO, *Guida alle conchiglie mediterranee: conoscerle, cecarle, collezionarle*, Milan 1978. P. L. PORTMANN – I. RICHTER, *Opisthobranchia des Mittelmeeres, Nudibranchia und Saccoglossa*, Berlin – New York 1982. R. T. ABBOTT, *Seashells of the World: a Guide to the better-known species*, New York 1985. K. M. WILBUR, *The mollusca*, I-IIIX, New York 1983-1988. G. T. POPPE – Y. GOTO, *European seashells*, Wiesbaden 1991. M. DELLAMOTTE – E. VARDALA-THEODOROU – M. GEORGIADIS – V. VRATITS – G.-J. BEN, *Κοχύλια ἀπὸ τῆς Ἑλληνικῆς θάλασσες*, Athens 1994. C. CLAASSEN, *Shells*, Cambridge 1998. G. REPETTO – F. ORLANDO – G. ARDUINO, *Conchiglie del Mediterraneo: 1770 specie illustrate con distribuzione e frequenza*, Alba 2005. The proceedings of an International Council for Archaeozoology: *Archaeomalacology: molluscs in former environments of human behaviour*, ed. B. Y. MAYER, Oxford 2005. Additionally, for the purpose of the study, the following electronic databases were used: <http://www.utmb.edu/nrcc/default.htm> (National Resource center of Cephalopods), [www.thecephalopodpage.org](http://thecephalopodpage.org) (Bermuda Institute of Ocean Sciences), [www.wildherps.com](http://www.wildherps.com), <http://digimorph.org>, [http://bigal.world.coocan.jp/pic\\_book/index.html](http://bigal.world.coocan.jp/pic_book/index.html) (English / Japanese shells datapage), [www.malacologia.it/english.htm](http://www.malacologia.it/english.htm) (Mostra Mondiale Malacologia), [www.spirula.nl/indexen.htm](http://www.spirula.nl/indexen.htm) (Dutch Malacological Society), [www.biolib.cz/en/main/](http://www.biolib.cz/en/main/) (Biological Library), [www.turin.net/catalogue\\_shell/](http://www.turin.net/catalogue_shell/) (Mediterranean Seashells).

καλοῦσιν, ἐπειδὴ ὁστράκω παραπλήσιον ἔχει τὸ ἔξωθεν περικείμενον σκέπασμα. *Basilius von Caesarea, Homilien zum Hexaemeron*, 398, Αέτιος Ἀμιδηνός, <Ιατρικὸν Ὑπόμνημα>, ed. A. OLIVIERI, *Aetii Amideni Libri Medicinales I-IV*, (CMG 17), Leipzig – Berlin 1935, 2.134. *Paulus Aegineta*, 2.101. *Achmetis Onirocriticon*, 239.21. *Michaelis Pselli De Medicina*, 218. *Eustathii Thessalonicensis Opera Minora*, 149. *Hiérophili De Nutriendi Methodo*, 410. *Hiérophili Traités Alimentaires*, 460, 462. *Anonymi Mensium Natura*, 426. *Joannes Actuarius*, Περὶ ἐνεργειῶν καὶ παθῶν τοῦ ψυχικοῦ πνεύματος καὶ τῆς κατ' αὐτὸ διαίτης, ed. J. L. IDELER, *Ioannis Actuari, De spiritu animali*, in *PhMGM I*, 312-386 [367-368]<sup>128</sup>.

**Μαλακόστρακα:** SN: *Malacostracus*. Species enclosed in tender shell. (*Oribasii Collectionum*, 2.54. *Basilius von Caesarea, Homilien zum Hexaemeron*, 398, *Aetii Amideni Libri Medicinales*, 2.135. *Paulus Aegineta*, 2.101. *Ioannis Actuari*, 367)<sup>129</sup>.

**Μαλάκια:** SN: *Malakia*. Bivalve shells enclosing organisms with flabby flesh. (*HesLex*, entry μαλάκια. *Oribasii Collectionum*, 1.3, 2.54. *Aetii Amideni Libri Medicinales*, 2.136. *Paulus Aegineta*, 2.102. *Ioannis Actuari*, 368)<sup>130</sup>.

### Ἀπαλόσαρκα ορ μαλακόσαρκα ὁστρακόδερμα

Βάλανος ορ μύακας ορ ὄμύδιον. SN: *Concha* (*ZonLex*, entry βάλανος. *Oribasii Collectionum*, 2.53. *Aetii Amideni Libri Medicinales*, 2.134. *Alexander von Tralles*, 2.309. *Achmetis Onirocriticon*, 240.4. *Simeonis Sethi Syntagma*, 81. *Hiérophili Traités Alimentaires*, 458. *Anonymi Mensium Natura*, 426)<sup>131</sup>.

Γλυκυμαρίς ορ χῆμιον. SN: *Chama* (*HesLex*, entry χῆμη. *SudLex*. *ZonLex*, entry γλυκυμαρίδες. *Oribasii Collectionum*, 2.53. *Aetii Amideni Libri Medicinales*, 2.134. *Paulus Aegineta*, 2.101)<sup>132</sup>.

128. *LSJ<sup>9</sup>*. *DimLex*, entries ὁστρακόδερμος, ὁστρακοειδῆς. *TrappLex*. *KriarasLex*, v. 14 (1997), entry ὁστρακόδερμα. *GEORGACAS*, Turkish common names, 133.

129. *LSJ<sup>9</sup>*. *DimLex*, entry μαλακόστρακος.

130. *LSJ<sup>9</sup>*, entry μαλάκιον. *TrappLex*, entry μαλάκιν.

131. *LSJ<sup>9</sup>*, entries μνάκιον, μύαξ, μύδιον. *KriarasLex*, v. 12 (1993), entry Ὄμύδιος. *DimLex*, entries μύακας, μνίσκη. *KISLINGER*, *Gastgewerbe und Beherbergung*, 83.

132. *LSJ<sup>9</sup>*, entry χῆμίον. *TrappLex*, entry γλυκυμαρίδες. *DimLex*, entries γλυκυμαρίς, χῆμη.

*Ἐχῖνος* SN: *Echinus* (*HesLex. SudLex. ZonLex.* entry *ἐχῖνος*. *Oribasii Collectionum*, 2.53. *Aetii Amideni Libri Medicinales*, 2.134. *Paulus Aegineta*, 2.101. *Alexander von Tralles*, 1.335, 523)<sup>133</sup>.

*Κτένιον* SN: *Pecten* (*HesLex*, entry *κτένις*. *Oribasii Collectionum*, 2.53. *Basilius von Caesarea, Homilien zum Hexaemeron*, 398. *Aetii Amideni Libri Medicinales*, 2.134. *Alexander von Tralles*, 1.335, 449, 2.169, 221. *Simeonis Sethi Syntagma*, 81. *Hiérophili Traités Alimentaires*, 458. *Anonymi, Mensium Natura*, 426)<sup>134</sup>.

*Ὥστρεον* or *τραχεῖα* or *τραχεόστρωαν*: SN: *Ostrea* (*HesLex*, entries *ὅστρων*, *ὅστρεα*. *ZonLex*, entry *ὅστρειον*. *Oribasii Collectionum*, 2.53. *Basilius von Caesarea, Homilien zum Hexaemeron*, 398. *Aetii Amideni Libri Medicinales*, 2.134. *Paulus Aegineta*, 2.101. *Achmetis Onirocriticon*, 240.4)<sup>135</sup>.

*Πελωρίς* or *μελαινίς*: SN: *Meineke* (*Oribasii Collectionum*, 2.53)<sup>136</sup>.

*Πίννη* SN: *Pinna* (*HesLex*, entry *πίνα*. *Oribasii Collectionum*, 2.53. *Aetii Amideni Libri Medicinales*, 2.134. *Paulus Aegineta*, 2.101. *Phile De Animalibus*, 1873-1890)<sup>137</sup>.

*Τελλίνη* or *ξιφύδροιον*: SN: *Concha*. A testaceous species named also *κόγχη* and *ξιφύδροιον* because of its body shape. The name *κόγχη* is also referred to the aquatic organism *άχηβάδα*. (*HesLex*, entry *κόγχη*. *Oribasii Collectionum*, 2.53. *Basilius von Caesarea, Homilien zum Hexaemeron*, 398)<sup>138</sup>.

### Σκληρόσαρκα ὄστρωα κάρδεομα

*Κήρυξ* SN: *Buccinum* (*Oribasii Collectionum*, 2.53. *Alexander von Tralles*, 2.111, 169)<sup>139</sup>.

133. LSJ<sup>9</sup>, *TrappLex. KriarasLex*, v. 6 (1978), entry *ἐχῖνος*. GEORGACAS, Turkish common names, 127.

134. LSJ<sup>9</sup>. *TrappLex. KriarasLex*, v. 9 (1985), entry *κτένιον*. GEORGACAS, Turkish common names, 136. KISLINGER, *Gastgewerbe und Beherbergung*, 80.

135. LSJ<sup>9</sup>, entry *τραχεόστρωαν*. *TrappLex*, entry *ὅστροιον*. *KriarasLex*, v. 14 (1997), entry *ὅστρεος*. *DimLex*, entry *τραχεῖα*. GEORGACAS, Turkish common names, 129. KISLINGER, *Gastgewerbe und Beherbergung*, 83.

136. LSJ<sup>9</sup>, entry *μελαινάς*. *DimLex*, entries *πελωρίς*, *μελαινίς*.

137. LSJ<sup>9</sup>. *TrappLex*, entry *πίννη*. GEORGACAS, Turkish common names, 131.

138. LSJ<sup>9</sup>. *DimLex*, entries *τελλίνη*, *ξιφύδροιον*, *κόγχη*.

139. LSJ<sup>9</sup>, entry *κήρυξ*. *TrappLex*, entry *κηρύκιον*.

*Λεπάς*: SN: *Patela* (*HesLex*, entry *λεπάδες*. *Oribasii Collectionum*, 2.53. *Aetii Amideni Libri Medicinales*, 2.134. *Simeonis Sethi Syntagma*, 81)<sup>140</sup>.

*Πορφύρα*: SN: *Purpura*. The name *πορφύρα* characterises two aquatic species: a) the sea-shell from which the homonymous purple dye was produced. b) SN: *Purpura murex*. A mollusc species. There was no information contending that the sea-shell producing the precious dye was used for food. As a matter of fact, when the aquatic organism *πορφύρα* is mentioned in the texts dealing with foodstuffs, it is probably referred to the mollusc species. (*Oribasii Collectionum*, 2.53. *Aetii Amideni Libri Medicinales*, 2.134. *Excerptorum Constantini de natura animalium*, 1.44. *Phile De Animalibus*, 1966-1980)<sup>141</sup>.

*Στρόμβος*: SN: *Strombus* (*Oribasii Collectionum*, 2.53. *Basilius von Caesarea, Homilien zum Hexaemeron*, 398. *Georgios Pachymeres*, 42.2)<sup>142</sup>.

*Σωλήν*: SN: *Sulynus* (*HesLex*, entry *σωλῆνες*. *Oribasii Collectionum*, 2.53. *Aetii Amideni Libri Medicinales*, 2.134. *Paulus Aegineta*, 2.101)<sup>143</sup>.

*Ωτίον*: SN: *Otis* (*Oribasii Collectionum*, 2.53)<sup>144</sup>.

### Μαλακόστρακα

*Άστακός*: SN: *Gammarus* (*Oribasii Collectionum*, 2.54. *Alexander von Tralles*, 1.335, 601, 2.201, 221, 251. *Simeonis Sethi Syntagma*, 25. *Michaelis Pselli De Medicina*, 223. *Hiérophili Traités Alimentaires*, 458, 462. *Anonymi Mensium Natura*, 426, 429)<sup>145</sup>.

*Κάραβος*: SN: *Palinurus* (*HesLex*. *ZonLex*, entries *καραβίς*, *κάραβος*. *Oribasii Collectionum*, 2.54. *Alexander von Tralles*, 2.221. *Michaelis Pselli De Medicina*, 223)<sup>146</sup>.

140. GEORGACAS, Turkish common names, 131.

141. LSJ<sup>9</sup>. *TrappLex*, entry *πορφύρα*.

142. LSJ<sup>9</sup>, entry *στρόμβος*.

143. LSJ<sup>9</sup>, entries *αὐλός*, *δόναξ*, *σωλήν*. GEORGACAS, Turkish common names, 133.

KISLINGER, *Gastgewerbe und Beherbergung*, 86.

144. LSJ<sup>9</sup>, entries *ώτάριον*, *ώτιον*.

145. LSJ<sup>9</sup>, entry *άστακός*. GEORGACAS, Turkish common names, 127. KISLINGER, *Gastgewerbe und Beherbergung*, 77.

146. LSJ<sup>9</sup>, entries *καραβίς*, *κάραβος*. *KriarasLex*, v. 7 (1980), entry *κάραβος*. KISLINGER, *Gastgewerbe und Beherbergung*, 80.

*Καρίς.* SN: *Garea* (*HesLex*, entry *καρίς*. *ZonLex*, entry *καρίδα* / *καρίς*. *Oribasii Collectionum*, 2.54. *Alexander von Tralles*, 2.367. *Simeonis Sethi Syntagma*, 60. *Michaelis Pselli De Medicina*, 223. *Anonymi, Mensium Natura*, 426. *Opsarologos*, 252, where it is mentioned as *ἔγκαρις*)<sup>147</sup>.

*Καρκίνος.* SN: *Cancer* (*HesLex*, entry *καρκίνος*. *ZonLex*, entry *καρκινίδιον*. *Oribasii Collectionum*, 2.54. *Basilius von Caesarea, Homilien zum Hexaemeron*, 398. *Aetii Amideni Libri Medicinales*, 2.135. *Paulus Aegineta*, 2.101. *Achmetis Onirocriticon*, 239.21. *Simeonis Sethi Syntagma*, 83. *Michaelis Pselli De Medicina*, 223)<sup>148</sup>.

*Πάγουρος.* SN: *Pagurus*. The name *πάγουρος* is attributed to various species, crustaceans and testacea. (*HesLex. ZonLex*, entry *πάγουροι*. *Oribasii Collectionum*, 2.54. *Aetii Amideni Libri Medicinales*, 2.134. *Paulus Aegineta*, 2.101. *Simeonis Sethi Syntagma*, 83. *Michaelis Pselli De Medicina*, 223. *Hiérophili Traités Alimentaires*, 462)<sup>149</sup>.

### Μαλάκια

*Κνίδη.* SN: *Urtica* (*HesLex*, entry *κνίδαι*. *SudLex*, entry *κνώδαλον*. *ZonLex*, entry *κνίδη*. *Oribasii Collectionum*, 2.53. *Alexander von Tralles*, 2.483)<sup>150</sup>.

*Πώλυψ ορ πολύποντος.* SN: *Polypus* (*HesLex*, entries *όκτώποντος*, *πολύποδες*. *Oribasii Collectionum*, 2.53. *Basilius von Caesarea, Homilien zum Hexaemeron*, 398. Θεοφύλακτος Σιμοκάττης, Διάλογος περὶ διαφόρων φυσικῶν ἀπορημάτων, ed. L. M. POSITANO, *Teofilatto Simocata, Questioni Naturali*, Napoli 1965<sup>2</sup>, 9. *Aetii Amideni Libri Medicinales*, 2.134. *Paulus Aegineta*, 2.102. *Alexander von Tralles*, 2.519. *Georgios Pachymeres*, 43.23)<sup>151</sup>.

*Σηπία:* SN: *Sepia* (*SudLex*, entry *σηπία*. *ZonLex*, entries *σήπειον*, *σηπία*, *σηπιάς*, *σήπιον*. *Oribasii Collectionum*, 2.53. *Basilius von Caesarea*,

147. LSJ<sup>9</sup>, entry *καρίς*. TrappLex. KriarasLex, v. 7 (1980), entry *καρίδα*. GEORGACAS, Turkish common names, 127. KISLINGER, *Gastgewerbe und Beherbergung*, 80.

148. LSJ<sup>9</sup>. TrappLex, entry *καρκίνος*. KriarasLex, v. 7 (1980), entry *καρκινίδιον*. KISLINGER, *Gastgewerbe und Beherbergung*, 83.

149. LSJ<sup>9</sup>. TrappLex, entry *πάγουρος*. KriarasLex, v. 14 (1997), entry *παγούριν*. GEORGACAS, Turkish common names, 131. KISLINGER, *Gastgewerbe und Beherbergung*, 83.

150. LSJ<sup>9</sup>, entry *κνίδη*. TrappLex, entry *κνίδιον*.

151. LSJ<sup>9</sup>, entry *πώλυπος / πῶλυψ*. GEORGACAS, Turkish common names, 133.

*Homilien zum Hexaemeron*, 398. *Aetii Amideni Libri Medicinales*, 2.134. *Paulus Aegineta*, 2.102. *Alexander von Tralles*, 2.37, 39, 49, 67. *Theophanis Nonni epitome*, 62, 113. *Michaelis Pselli De Medicina*, 226. *Phile De Animalibus*, 1823-1831)<sup>152</sup>.

Τευθίς SN: *Loligo Vulvaris* (*HesLex. SudLex*, entry τευθίδες / τευθίς. *ZonLex*, entry τήθια. *Oribasii Collectionum*, 2.53. *Aetii Amideni Libri Medicinales*, 2.134. *Paulus Aegineta*, 2.102. *Alexander von Tralles*, 2.367, 509)<sup>153</sup>.

A special distinction among aquatic animals is noted in Λόγος εἰς τὴν Ἔξαήμερον written by Basil of Caesarea<sup>154</sup>. This work is written mainly with an instructive style; however it includes, among others, detailed descriptions of many aquatic organisms. The content of the chapter that refers to these species is an analytical interpretation of the passage of Genesis: Ἐξαγαγέτω τὰ ὕδατα ἐρπετὰ ψυχῶν ζωσῶν<sup>155</sup>. Primarily, the term ἐρπετὰ is interpreted. With this term, the Hebrew phrase *sheh'-rets haw-yaw neh'-fesh* is rendered in the Septuagint<sup>156</sup>. According to Basil, the meaning of this word refers to all the organisms that crawl and live in the water: Πᾶν τὸ νηκτικὸν κἄν τῇ ἐπιφανείᾳ τοῦ ὕδατος τέμνῃ τὸ ὕδωρ, τῆς

152. *LSJ*<sup>9</sup>, entries σήπειον, σηπία, σηπιάς, σήπιον.

153. *LSJ*<sup>9</sup>, entry τευθίς / τευθιάς. GEORGACAS, Turkish common names, 128.

154. *Basilius von Caesarea, Homilien zum Hexaemeron*, 392-402.

155. *Gen. 1.20*.

156. Based on the Septuagint, the passage is rendered as: Αὕτη ἡ θάλασσα ἡ μεγάλη καὶ εὐρύχωρος, ἐκεῖ ἐρπετά, ὃν οὐκ ἔστιν ἀριθμὸς ζῷα μικρὰ μετὰ μεγάλων (Ps. 103.25). For the rendering of the phrase *sheh'-rets haw-yaw neh'-fesh*, see: F. BROWN - S. DRIVER - C. BRIGGS, *Hebrew and English Lexicon*, Stuttgart 1996. JOHN STRONG, *Hebrew Dictionary*, Albany 1952, entry *sherets*, *sheh'-rets*, *hayah*, *haw-yaw*, *nephesh*, *neh'-fesh*. N. H. SNAITH, *Hebrew Old Testament*, Suffolk 1989, *Gen. 1.20*: And God said, Let the waters bring forth abundantly the moving creature that hath life, and fowl [that] may fly above the earth in the open firmament of heaven. *The Holy Bible*, Authorized (King James) version, ed. National Bible Press Philadelphia, 1952, *Gen. 1.20*: And God said, “Let the waters bring forth swarms of living creatures, and let birds fly above the earth across the firmament of the heaven”. *Septuaginta*, ed. A. RAHLFS, Stuttgart 1935, *Gen. 1.20*: Καὶ εἶπεν ὁ Θεός· ἐξαγαγέτω τὰ ὕδατα ἐρπετὰ ψυχῶν ζωσῶν καὶ πετεινὰ πετόμενα ἐπὶ τῆς γῆς κατὰ τὸ στερεόνημα τοῦ οὐρανοῦ. See also N. VAMVAS, Τὰ ἰερὰ γράμματα ἦτοι ἡ Παλαιὰ καὶ ἡ Καινὴ Διαθήκη μεταφρασθέντα ἐκ τῶν θείων ἀρχετύπων, Athens 1838 (repr. 2006), *Gen. 1.20*. N. P. VASILIKIDIS, *Ἡ Παλαιὰ Διαθήκη μετὰ συντόμου ἐρμηνείας*, Athens 2004, I, 22.

τῶν ἐρπηστικῶν ἔστι φύσεως, ἐπισυρόμενον τῷ τοῦ ὕδατος σώματι<sup>157</sup>. This explanation is related to the term *reh'-mes shawm* that describes the aquatic creatures in the 103rd psalm<sup>158</sup>.

The information about fishes and other aquatic species provided in *Λόγος εἰς τὴν Ἐξαήμερον* concerns their physiology, reproduction, type of food and place of origin. With the general term *iχθεῖς* or *νηκτικὰ ἐρπετά*<sup>159</sup>, all the aquatic animals are described, that according to Basil they are characterised as:

‘Υπόποδα: SN: *Gasteropoda*. The term *ὑπόποδα* is mentioned for the first time by (pseudo-)Aristoteles, *Περὶ πνεύματος* 485a 21 (ed. W. JAEGER, *Aristotelis de animalium motione et de animalium incessu. Ps.-Aristotelis de spiritu libellus*, Leipzig 1913, 54: Τὰ δὲ ὄστρακόδερμα τῶν ἐνύδρων ὑπόποδα διὰ τὸ βάρος). The category *ὑπόποδα* identifies with a term of aquatic species that is used today to classify the large category of *gasteropoda* or *gastropoda*. *Gasteropoda* are aquatic animals, vertebrates and invertebrates, with or without shell, similar to amphibia, living in water and land. Actually, their name originates from the anatomical position of their legs that are fin-shaped and grow from the abdominal segment of their body. See and *Georgios Pachymeres*, 44.17-20: Τὰ μὲν γὰρ ὑπόποδα, ἐπειδὴ ἐν ἐκατέρῳ τῶν ἀντικειμένων σκελῶν ἐν μέρει ἵσταται καὶ τὸ βάρος ἴσχει, ἀναγκαῖον ὑστέρου προβαίνοντος θατέρου ποιεῖσθαι κάμψιν<sup>160</sup>.

Αμφίβια: SN: *Amphibia* (*HesLex*, entry ἀμφίβια ζῷα [= τὰ ἔννδον καὶ χερσαῖα], ἀμφίβιον [= ἐν γῇ καὶ ὕδατι ζῆν δυνάμενον]. (*Georgios*

157. *Basilius von Caesarea, Homilien zum Hexaemeron*, 392.

158. *HesLex*, entry ἐρπει. *TrappLex. LSJ<sup>9</sup>*, entry ἐρπετόν. For the rendering of the phrase *reh'-mes shawm*, see: F. BROWN – S. DRIVER – C. BRIGGS, *Hebrew and English Lexicon*, entry *remes, reh'-mes, sham, shawm*. N. H. SNAITH, *Hebrew Old Testament*, Ps. 103.25: *So is this great and wide sea, wherein are things creeping innumerable both small and great beasts. The Holy Bible, Authorized (King James) version, Ps. 103.25: Yonder is the sea, great and wide, creeping things innumerable are there, living things both small and great. Septuaginta*, Ps. 103.25: Αὕτη ἡ θάλασσα ἡ μεγάλη καὶ εὐρύχωρος, ἐκεῖ ἐρπετά, ὃν οὐκ ἔστιν ἀριθμὸς ζῷα μικρὰ μετὰ μεγάλων. P. N. TREMPelas, *Tὸ ψαλτήριον μετὰ συντόμου ἐρμηνείας*, Athens 2007, 345.

159. *HesLex*, entry νήποδες. *LSJ<sup>9</sup>*, entries νήχω, νήχομαι, νηκτικός, νηκτός, νηχεῖον. *TrappLex*, entry νηκτικῶς. *Phile De Animalibus*, 2nd part, 118. See and *Aelian on the characteristics of animals*, 9.25.

160. *Lampe*, entry ὑπόποδος.

*Pachymeres*, 24.22: (...) συμβέβηκεν αὐτῷ πεζῷ ὅντι ζῆν ἰχθύων βίον)<sup>161</sup>. In the category ὑπόποδα - ἀμφίβια, except of φῶκαι<sup>162</sup>, ποτάμιοι ἵπποι<sup>163</sup> and καρκίνοι<sup>164</sup>, Basil of Caesarea classifies the following species:

Κροκόδειλοι SN: *Crocodilus* (*HesLex. SudLex. ZonLex*, entry κροκόδειλος. *Alexander von Tralles*, 1.405. *Georgios Pachymeres*, 24.18-22)<sup>165</sup>.

Βάτραχοι: SN: *Ceratophrys Ornata* (*ZonLex*, entry βάτραχος. Θεοφύλακτος Σιμοκάττης, Διάλογος, 19. *Ptochoprodromos*, IV 106). Besides the known amphibious animal, mainly in former sources, a species of ray is described with the same name. See: Aristoteles, *Τστορίαι περὶ τῶν ζώων* 540b 17 (ed. P. LOUIS, *Aristote, Histoire des animaux*, v. 2, Paris 1968, 7): Σελάχη δ' ἔστι τά τ' εἰρημένα καὶ βοῦς καὶ λάμια καὶ ἀετὸς καὶ νάρκη καὶ βάτραχος καὶ πάντα τὰ γαλεώδη. See and: Aelian on the characteristics of animals, 13.5: Βάτραχος δὲ θαλάσσιος τίκτει κατὰ τοὺς ὅρνιθας φόνον καὶ οὐτος. It is not possible to express a certain opinion, if the rare references in the Byzantine texts about the consumption of βάτραχοι (βαθραχοί), concern the amphibious animal or the fish species<sup>166</sup>.

Κήτη<sup>167</sup> - Ζωοτόκα<sup>168</sup>: The distinction between ζωοτόκα (*viviparous*) and φωτόκα (*oviparous*) was first made by Aristoteles, *Τστορίαι περὶ τῶν ζώων* 489a 35 (ed. P. LOUIS, *Aristote, Histoire des animaux*, v. 1, Paris 1964, 10): Καὶ τὰ μὲν ζωοτόκα τὰ δ' φωτόκα τὰ δὲ σκωληκοτόκα, ζωοτόκα μὲν οἶον ἄνθρωπος καὶ ἵππος καὶ φώκη καὶ τὰ ἄλλα ὅσα ἔχει τοίχας. See and Georgios of Pisidia, *Esamerone*, 1020. In κήτη - ζωοτόκα, except of

161. LSJ<sup>9</sup>, entry ἀμφίβιον. OEGD, entry *amphibian*.

162. See page 146 and footnote 127.

163. See page 145 and footnote 119.

164. See page 150 and footnote 149.

165. LSJ<sup>9</sup>, entry κροκόδειλος.

166. KORAIIS, Ξενοκράτης - Γαληνός, 48. PH. KOUKOULES, *Bυζαντινῶν Βίος καὶ Πολιτισμός*, v. 5, Athens 1952, 84. KISLINGER, *Gastgewerbe und Beherbergung*, 77 and note 368.

167. See page 144 and footnote 114.

168. See OEGD, entry *viviparous*.

φῶκαι, δελφῖνες<sup>169</sup> and νάρκαι<sup>170</sup>, the category of σελάχη is classified<sup>171</sup>. (*HesLex*, entries σελάχιον: (...) ὅσα ἀποδα ξωτοκεῖ and σελάχη, σελαχίας. *SudLex*, entry σελάχιον. Ἰχθύδιον, ὃ μόνον ξωτοκεῖ. εἴρηται δὲ ἀπὸ τοῦ ἔσω λεχώξειν). Based on the morphology and physiology, skates, rays and some kinds of sharks are characterised as σελάχη and they are included in the families of *Rajidae*, *Rhinobatidae* and *Dasyatidae*. The species also of τούρπαινα (νάρκη), βάτος, κίθαρος, ρίνα, and γλαῦκος, mentioned above, belong to the same category<sup>172</sup>. There are the following 17 accepted SN for the species of σελάχη: *Dasyatis Centroura*, *Dipturus Batis*, *Dipturus Oxyrinchus*, *Leucorajia Circularis*, *Leucorajia Fullonica*, *Leucorajia Naevus*, *Pteroplatytrygon Violacea*, *Rajia Asterias*, *Rajia Brachyura*, *Rajia Clavata*, *Rajia Miraleetus*, *Rajia Montagui*, *Rajia Polystigma*, *Rajia Radula*, *Rajia Undulata*, *Rhinobatos Rhinobatos*, *Rostroraja Alba* (see [www.fishbase.org](http://www.fishbase.org)).

**Λεπτοὶ ἰχθεῖς<sup>173</sup> - ὡτόκα<sup>174</sup>:** This category, according to Basil of Caesarea, includes the subcategory of λεπιδωτὰ<sup>175</sup> and φολιδωτὰ<sup>176</sup> and ἐν οἷς ἔστι καὶ ἐν οἷς οὐκ ἔστι πτερούγια<sup>177</sup>.

The term λεπιδωτά characterises the fishes with scales and the term φολιδωτά the fishes with lamellae. The distinction between λεπιδωτὰ and φολιδωτὰ was made by Aristotle too. He also notes that the aquatic viviparous are characterised as λεπιδωτὰ and the oviparous as φολιδωτὰ. See Aristotle, *Τοπογραφίαι περὶ τῶν ζώων* 505a 23-25 (ed. P. LOUIS, *Aristote, Histoire des animaux*, v. 1, Paris 1964, 56): Ἐτι δὲ πρὸς τὰλλα ξῆρα οἱ ἰχθύες διαφέρουσι πρὸς τὴν διαφορὰ τὴν περὶ τὰ βράγχια οὔτε γὰρ ὥσπερ τῶν πεζῶν ὅσα ξωτόκα ἔχει τρίχας, οὕθ' ὥσπερ ἔνια τῶν φωτοκούντων τετραπόδων φολίδας, οὕθ' ὡς τὸ τῶν ὄρνεων γένος πτερωτόν, ἀλλ' οἱ μὲν πλεῖστοι αὐτῶν λεπιδωτοί εἰσιν, ὀλίγοι δέ τινες τραχεῖς, ἐλάχιστον

169. See page 144 and footnote 115.

170. See page 134 and footnote 54.

171. LSJ<sup>9</sup>, entry σέλαχος.

172. See pages 134-136.

173. OEGD, entry *thin (fish)*.

174. OEGD, entry *oviparous*.

175. OEGD, entry *scaly*.

176. OEGD, entry *lamella*. Fishes with lamellae.

177. OEGD, entry *fin*. Fishes with or without fins.

δ' ἔστι πλῆθος αὐτῶν τὸ λεῖον. Cf. *ibidem* 490b 22 (ed. P. LOUIS, v. 1, 14): Ὄσα μὲν οὖν ζωτόκα, οὐ πάντα τρίχας ἔχει, δόσα δ' φωτόκα, φολίδας. See also *Hiérophili De Nutriendi Methodo*, 412: (...) δόσα μαλακόσσαρκα καὶ ἔχοντα λέπος and *Anonymi Mensium Natura*, 424: Μηνὶ Ὀκτωβρίῳ. (...) πάντα τὰ ἀλέπιδα μὴ ἐσθίειν.

Ὄστρακόστρακα: κόγχαι, κτένες, κοχλίαι θαλάσσιοι, στρόμβοι, ὅστρεα.

*Μαλακόστρακα: πολύποδες, σηπίαι.*

*Ποτάμια καὶ λιμναῖα ιοβόλα*<sup>178</sup>: δράκοντες, μύραιναι, ἐγχέλυες.

*Πελάγια, αἰγιαλώδη, βύθια*<sup>179</sup>, πετρώδη, ἀγελαῖα<sup>180</sup>, σποραδικά<sup>181</sup>.

Based on the type of food: *Oἱ ἵλυϊ τρεφόμενοι*<sup>182</sup>, *οἱ φύκοις τρεφόμενοι*<sup>183</sup>, *οἱ βοτάναις ἐντρεφομέναις τῷ ὕδατι τρεφόμενοι*<sup>184</sup>, *οἱ ἀλληλοφάγοι*<sup>185</sup>.

Based on the place of origin: *οἱ τὴν Ἰνδικὴν ἄλιεύοντες θάλασσαν*<sup>186</sup>, *οἱ τὸν Αἰγύπτιον ἀγρεύοντες κόλπον*<sup>187</sup>, *νησιῶται*<sup>188</sup>, *Μαυρούσιοι*<sup>189</sup>.

## Conclusions

More than a hundred ten names of fishes and about thirty names of other aquatic organisms are found in Byzantine literature. Most of the information is retrieved by the medical texts, whose writers are dealing with food and nutrition.

178. OEGD, entry *poisonous*.

179. J. T. PRING, The *Oxford Dictionary of modern Greek: Greek-English*, Oxford 1992 (OGED), entry *βυθός*. Fishes living at the bottom of the sea.

180. OGED, entry *ἀγέλη*. Fishes living in shoals. *HesLex*, entry *ἀγελαῖοι ἰχθύες πολλοί, μικροί καὶ ὁμοῦ*. *SudLex*, entry *ἀγελαῖοι ἰχθύες: οἱ εὐτελεῖς καὶ μικροί*.

181. OGED, entry *σποραδικός*. Fishes living by themselves.

182. Fishes fed with mud. *LSJ<sup>9</sup>*, entry *ἱλύς*. OGED, entry *βοῦρκος, λάσπη*.

183. Fishes fed with seaweed. See footnote 94.

184. Fishes fed with plants growing in the sea.

185. OGED, entry *ἀλληλοφάγωμα*. Fishes fed with other fishes.

186. Fishes originated from the Indian Ocean.

187. Fishes originated from the Red Sea that in some references is called Egyptian Gulf. See and *Oribasii Collectionum*, 2.58.

188. Fishes originated from the islands.

189. Fishes originated from *Μαυρούσια*, an area in the northwest of Africa that today includes the country of Mauritania.

The criteria for their classification vary according to the category of each source. In most of the medical texts of the early Byzantine period (e.g. Oribasius, Aetius, Paul of Aegina, Alexander of Tralles) the comparative evaluation of the nutritional value of the species was considered as basic criterion. In the texts of the later writers (e. g. Symeon Seth, Hierophilus Philosopher) foodstuffs are cited in alphabetical order and among them fishes and other aquatic animals. In the texts with instructive style (e. g. Basil of Caesarea, Georgios of Pisidia, *Physiologos*,) and in the manuals of natural history (e. g. Theophylactos Simocattes, *Excerptorum Constantini de natura animalium*, Manuel Philes) the classification of the species is alphabetical. In addition, the criterion corresponding to the meaning attributed by the writers in accordance with the symbolic role of the species described is used.

During the early Byzantine period and especially in the texts by Oribasius, Basil of Caesarea, Theophylactos Simocattes, Aetius, Paul of Aegina, Alexander of Tralles, there are more references to the names of fishes, testacea, crustaceans, molluscs and shells than in the other time periods. Moreover, special information is noted by the writers about the fishes and the aquatic species living in distant seas and rivers such as the Persian Gulf, the Red Sea or the Indian River. In the course of the time, these references are limited, as the interest of the writers was focused rather to the species connected mainly with food and consumed in the every day life of the Byzantine people or they were used as raw materials in the manufacturing of household stuff, musical instruments, weapons, dyes, medicines and cosmetics. It is characteristic that the anonymous writers of *Geponica*, *Excerptorum Constantini de natura animalium*, as well as Symeon Seth, and Manouel Philes, indicate in the *Προοίμια* of their works their preference to refer on information concerning the every day life.

FISHES AND OTHER AQUATIC SPECIES IN BYZANTINE LITERATURE  
CLASSIFICATION, TERMINOLOGY AND SCIENTIFIC NAMES

Fishes and other aquatic species were substantial food in the every day life of Byzantine people. The predomination of Christianity contributed to the increased consumption of fish and other seafood in comparison to the meat of land animals and chicken. More than a hundred ten names of fishes and about thirty names of other aquatic organisms are found in Byzantine literature. Most frequent references are found in the medical texts of the Byzantine doctors, where, fishes are classified in categories depending on their physiology and origin, because, according to the writers, these are determining factors for the evaluation of the nutritional value of each species.

The purpose of this study is to present the terminology of the fishes and the various aquatic organisms that are found in the Byzantine sources and to identify each species with its current scientific name.

