

Mediterranean Marine Science

Vol 20, No 2 (2019)



Macrofauna associated with a recently described bryozoan species in the Eastern Harbour of Alexandria, Egypt

RASHA HAMDY ELSAYED, MOHAMED MOUSSA DORGHAM

doi: [10.12681/mms.18391](https://doi.org/10.12681/mms.18391)

To cite this article:

ELSAYED, R. H., & DORGHAM, M. M. (2019). Macrofauna associated with a recently described bryozoan species in the Eastern Harbour of Alexandria, Egypt. *Mediterranean Marine Science*, 20(2), 248–259.
<https://doi.org/10.12681/mms.18391>


Supplementary Data

**Macrofauna Associated with a Recently Described Bryozoan Species
in the Eastern Harbour of Alexandria, Egypt**

Rasha HAMDY and Mohamed DORGHAM

Oceanography Department, Faculty of Science, Alexandria University, Egypt

Mediterranean Marine Science, 2019, 20 (2)



1

Fig. S1: The contribution of major species (in percentage) to autumn macrofauna associated with *Calyptotheca alexandriensis* in the Eastern Harbour of Alexandria.




Fig. S2: The contribution of major species (in percentage) to winter macrofauna associated with *Calypsothecha alexandriensis* in the Eastern Harbour of Alexandria.




Fig. S3: The contribution of major species (in percentage) to spring macrofauna associated with *Calypsothecha alexandriensis* in the Eastern Harbour of Alexandria.




Fig. S4: The contribution of major species (in percentage) to early summer macrofauna associated with *Calypsothecha alexandriensis* in the Eastern Harbour of Alexandria.




Fig. S5: The contribution of major species (in percentage) to late summer macrofauna associated with *Calypthea alexandriensis* in the Eastern Harbour of Alexandria.