

Mediterranean Marine Science

Vol 23, No 3 (2022)

VOL 23, No 3 (2022)



Tanaidacea (Crustacea: Malacostraca: Peracarida) from soft-sediment shelf habitats off the Mediterranean coast of Israel (Levant Sea) –taxonomy, faunistics and ecological aspects

HADAS LUBINEVSKY, MOSHE TOM, GRAHAM BIRD

doi: [10.12681/mms.27699](https://doi.org/10.12681/mms.27699)

To cite this article:

LUBINEVSKY, H., TOM, M., & BIRD, G. (2022). Tanaidacea (Crustacea: Malacostraca: Peracarida) from soft-sediment shelf habitats off the Mediterranean coast of Israel (Levant Sea) –taxonomy, faunistics and ecological aspects. *Mediterranean Marine Science*, 23(3), 561–598. <https://doi.org/10.12681/mms.27699>

Tanaidacea (Crustacea: Malacostraca: Peracarida) from soft-sediment shelf habitats off the Mediterranean coast of Israel (Levant Sea) –taxonomy, faunistics and ecological aspects

Hadas LUBINEVSKY, Moshe TOM and Graham BIRD

Mediterranean Marine Science, 23 (3) 2022

Table S1. Comparison of the Tanaidacea fauna from the Mediterranean coasts of Algeria (Bakalem *et al.*, 2021), Egypt (Larwood, 1940), Iberian Peninsula (Herrero *et al.*, 2021), Israel (this study and associated references), Italy (Riggio., 1995) and Greece (Koulouri *et al.*, 2020); not corrected for bathymetric compatibility. ¹ formerly *A. africanus orientalis*; ² possible synonym of *A. mediterraneus*; ³ uncertain identity; ⁴ includes *L. magna* Smith, 1906; ⁵ possible synonym of *T. laticaudata*; ⁶ may include synonyms *H. crassa* and *H. satella*.

Taxon	Israel	Egypt	Greece	Italy	Algeria	Iberian Peninsula (<100m]
APSEUDOMORPHA						
Apseudidae						
<i>Apseudes africanus</i> Tattersall, 1925			+	+	+	
<i>Apseudes grossimanus</i> Norman & Stebbing, 1886				+	+	
<i>Apseudes holthuisi</i> Băcescu, 1961	+		+	+	+	
<i>Apseudes israeliticus</i> (Băcescu 1961)	+					
<i>Apseudes miserai</i> Băcescu, 1980				+	+	
<i>Apseudes orientalis</i> Băcescu, 1961 ¹	+				+	
<i>Apseudes robustus</i> G. O. Sars, 1882		+	+	+	+	
<i>Apseudes sicilianus</i> Băcescu, 1980				+		
<i>Apseudes spinosus</i> (M. Sars, 1858)				+	+	+
<i>Apseudes talpa</i> (Montagu, 1808)			+	+	+	+
<i>Apseudopsis acutifrons</i> (G.O Sars, 1882)	+		+	+		
<i>Apseudopsis annabensis</i> (Guțu, 2002)					+	
<i>Apseudopsis apocryphus</i> (Guțu, 2002)	+					
<i>Apseudopsis bacescui</i> (Guțu, 2002)						+
<i>Apseudopsis elisae</i> (Băcescu, 1961)	+		+	+	+	
<i>Apseudopsis latreilli</i> (Milne-Edwards, 1828)		+ ²	+ ²	+ ²	+	+
<i>Apseudopsis mediterraneus</i> (Băcescu, 1961)	+		+	+?	+	
<i>Apseudopsis minimus</i> (Guțu, 2002)	+					
<i>Apseudopsis ostroumovi</i> Băcescu & Carausu, 1947	+			+		
<i>Apseudopsis tridens</i> (Guțu, 2002)	+					
<i>Fageapseudes retusifrons</i> (Richardson, 1912)				+		
<i>Obscurapseudes graciloides</i> (Stephensen, 1915)				+		
<i>Paradoxapseudes intermedius</i> (Hansen, 1895)	+	+	+	+	+	
<i>Tuberapseudes echinatus</i> (G.O. Sars, 1882)				+	+	+
<i>Zoidbergus tenuimanus</i> (G.O. Sars, 1882)	+			+	+	
Kalliapseudidae						
<i>Cristapseudes omercooperi</i> (Larwood, 1954)	+					

Continued

Table S1 continued

Taxon	Israel	Egypt	Greece	Italy	Algeria	Iberian Peninsula (<100m]
Metapseudidae						
<i>Synapseudes shiinoi</i> Riggio, 1973				+		+
Parapseudidae						
<i>Parapseudes francispori</i> (Băcescu, 1980)	+					
<i>Parapseudes latifrons</i> (Grube, 1864)		+	+	+		+
Sphyrapodidae						
<i>Pseudosphyrapus anomalus</i> (M. Sars, 1869)					+ ³	
TANAIDOMORPHA						
Agathotanaidae						
<i>Paranarthrura lusitanus</i> Bird & Holdich, 1989	+					
<i>Paranarthrura subtilis</i> Hansen, 1913				+		
Akanthophoreidae						
<i>Parakanthophoreus longiremis</i> (Lilljeborg, 1864)				+ ³	+ ³	
<i>Pseudakanthophoreus nanopsenos</i> (Bamber & Bird, 2009)	+					
Anarthruridae						
<i>Anarthrura simplex</i> G.O. Sars, 1882				+	+	
Colletteidae						
<i>Collettea cylindrata</i> (G.O. Sars, 1882)				+		
<i>Leptognathiopsis attenuata</i> Holdich & Bird, 1986	+					
<i>Nippognathiopsis levantae</i> n. sp.	+					
Leptocheiliidae						
<i>Azobacescus longidactylus</i> (Băcescu)				+		
<i>Chondrochelia savignyi</i> (Krøyer, 1842)	+	+	+	+	+	+
<i>Heterotanais oerstedii</i> (Krøyer, 1842)				+	+	
<i>Leptocheilia tanykeraia</i> Bamber, 2009	+					
<i>Leptocheilia inermis</i> Dollfus, 1898			+			
<i>Leptocheilia mercantilis</i> Smith, 1906				+		
<i>Leptocheilia mergellinae</i> Smith, 1906			+	+		
<i>Leptocheilia</i> sp. sensu Monod (1931)	+					
<i>Pseudoleptocheilia anomala</i> (G.O. Sars, 1882)	+		+	+ ⁴		+
Leptognathiidae						
<i>Leptognathia breviremis</i> (Lilljeborg, 1864)			+			
<i>Leptognathia manca</i> G.O. Sars, 1882				+ ³	+ ³	
Paratanaidae						
<i>Paratanais euelpis</i> Barnard, 1920						+
Pseudotanaidae						
<i>Akanthinotanais gerlachi</i> Sieg, 1977						+
<i>Pseudotanais isabelae</i> García-Herrero, Sánchez, García-Gómez, Pardos & Martínez, 2017						+
<i>Pseudotanais macrocheles</i> G.O. Sars, 1882				+	+	
<i>Pseudotanais mediterraneus</i> G.O. Sars, 1882				+		
<i>Pseudotanais stiletto</i> Bamber, 2009	+					
<i>P. unicus</i> Sieg, 1977				+		+

Continued

Table S1 continued

Taxon	Israel	Egypt	Greece	Italy	Algeria	Iberian Peninsula (<100m]
Tanaellidae						
<i>Araphura brevimanus</i> (Lilljeborg, 1864)				+		+
<i>Araphura hyphalus</i> n.sp.	+					
<i>A. filiformis</i> (Lilljeborg, 1864)				+		
<i>Tanaella unguicillata</i> Norman & Stebbing, 1886				+		
Tanaissuidae						
<i>Tanaissus lilljeborgi</i> Stebbing, 1891						+
<i>Tanaissus microthymus</i> Bird & Bamber, 2009	+					
Tanaopsidae						
<i>Tanaopsis graciloides</i> (Lilljeborg, 1864)				+ ⁵		+ ⁵
<i>Tanaopsis laticaudata</i> (G.O. Sars, 1882)	+					
Typhlotanidae						
<i>Paratyphlotanais lilliputi</i> n. sp.	+					
<i>Typhlotanais angstromensis</i> Błażewicz-Paszkowycz & Bamber, 2009	+					
<i>Typhlotanais scalenus</i> n. sp.	+					
<i>Typhlotanais bisetosus</i> n. sp.	+					
<i>Typhlotanais messinensis</i> G.O. Sars, 1882					+	
Tanaididae						
<i>Hexapleomera bultidactyla</i> Esquete & Fernandez-Gonzalez, 2016						+
<i>Hexapleomera crassa</i> Riggio, 1975 nom. nud.				+		
<i>Hexapleomera robusta</i> (Moore, 1894)	+ ⁶	+ ⁶	+	+		+
<i>Hexapleomera satella</i> Bamber, 2012	+					
<i>Parasinelobus chevreuxi</i> (Dollfus, 1898)					+	
<i>Tanais dulongii</i> (Audouin, 1826)	+	+	+	+	+	+
<i>Tanais Grimaldii</i> Dollfus, 1897			+	+		
<i>Zeuxo coralensis</i> Sieg, 1980					+	+
<i>Zeuxo fresii</i> Sieg, 1980				+		
<i>Zeuxo normani</i> Richardson, 1905				+		+
Incertae sedis						
<i>Pseudoparatanais batei</i> (G.O. Sars, 1882)			+	+	+	+
Total	28	6	19	46	26	22
% Israeli species in the region		18	32	39	25	32
% region species in the Israeli fauna		67	47	24	27	41